FRONTIER MEDICAL & DENTAL COLLEGE

ABBOTTABAD

DEPARTMENT OF MEDICAL EDUCATION

PROBLEM-BASED LEARNING (PBL) TUTOR GUIDEBOOK

1st – 3rd Year MBBS

2025-26

Department of Medical Education				
Problem-Based Learning (PBL) Tutor Guidebook				
Doc. No:	**Effective Date:**	**Revision Date:**	**Version:**	**Page**
APPROVED BY:		**COMPILED BY:**		

Contents

Problem-Based Learning (PBL) Tutor Guidebook *1*

CASE 01: THE PALE CHILD WITH DARK URINE – HEMOLYTIC ANEMIA **3**

ANATOMY TUTOR GUIDE 3
PHYSIOLOGY TUTOR GUIDE 4
BIOCHEMISTRY TUTOR GUIDE 5

CASE 02: THE CLERK WITH A SLIP – LUMBAR DISC HERNIATION **8**

ANATOMY TUTOR GUIDE 8
PHYSIOLOGY TUTOR GUIDE 9
BIOCHEMISTRY TUTOR GUIDE 10

CASE 03: THE TEACHER WHO KEPT FAINTING – STOKES-ADAMS SYNDROME **12**

ANATOMY TUTOR GUIDE 12
PHYSIOLOGY TUTOR GUIDE 13
BIOCHEMISTRY TUTOR GUIDE 14

CASE 04: THE HOUSEWIFE WITH YELLOW EYES – OBSTRUCTIVE JAUNDICE **16**

ANATOMY TUTOR GUIDE 16
PHYSIOLOGY TUTOR GUIDE 17
BIOCHEMISTRY TUTOR GUIDE 18

CASE 05: THE RETIRED TEACHER WITH A TREMOR – PARKINSON'S DISEASE **20**

ANATOMY TUTOR GUIDE 20
PHYSIOLOGY TUTOR GUIDE 21
BIOCHEMISTRY TUTOR GUIDE 22

CASE 06: THE ANXIOUS BANKER WITH A SWOLLEN NECK – GRAVES DISEASE **25**

ANATOMY TUTOR GUIDE 25
PHYSIOLOGY TUTOR GUIDE 26
BIOCHEMISTRY TUTOR GUIDE 28

CASE 07: THE RETIRED CLERK WITH A WEAK STREAM – (BPH) **30**

ANATOMY TUTOR GUIDE 30
PHYSIOLOGY TUTOR GUIDE 31
BIOCHEMISTRY TUTOR GUIDE 33

CASE 08: THE LORRY DRIVER WITH A RACING HEART **35**

ANATOMY TUTOR GUIDE 35
PHYSIOLOGY TUTOR GUIDE 36
BIOCHEMISTRY TUTOR GUIDE 38

CASE 09: THE IRRITABLE BANKER WITH NUMB FEET **40**

ANATOMY TUTOR GUIDE 40
PHYSIOLOGY TUTOR GUIDE 41
BIOCHEMISTRY TUTOR GUIDE 43

CASE 01: THE PALE CHILD WITH DARK URINE – HEMOLYTIC ANEMIA
(1st Year – Module I: Blood Disorders)

ANATOMY TUTOR GUIDE

Case Summary for Anatomy Tutor
This case involves a 6-year-old child with chronic anemia, jaundice, hepatomegaly, lymphadenopathy, and bone pain. The anatomical focus is on the lymphoid system, bone marrow, and liver – specifically their structure, function, and relationship to hematopoiesis.

Key Anatomical Concepts in This Case

Concept	Relevance to Case
Lymphoid Organs	Lymphadenopathy (axillary nodes >1.5cm) indicates immune response or extramedullary hematopoiesis.
Spleen Histology	Spleen is NOT palpable – discuss why (auto-splenectomy / chronic overload).
Liver Anatomy	Hepatomegaly (3 cm BRCM) – extramedullary hematopoiesis or iron overload.
Bone Marrow	Bone pain – marrow expansion due to increased erythropoiesis.
Lymph Node Histology	Enlarged nodes – understand cortex (B-cells), paracortex (T-cells), medulla.

Learning Objectives (Anatomy)

1. Enumerate the primary lymphoid organs (Bone marrow, Thymus) and secondary lymphoid organs (Lymph nodes, Spleen, MALT, Tonsils).
2. Describe the gross anatomy of the spleen – location, relations, blood supply, functions.
3. Describe the histology of the lymph node – Cortex (B cells), Paracortex (T cells), Medulla (plasma cells, macrophages).
4. Describe the histology of the spleen – White pulp (lymphoid tissue, PALS), Red pulp (sinusoids, cords for RBC filtration).
5. Describe the gross anatomy of the liver – lobes, surfaces, porta hepatis, blood supply (hepatic artery, portal vein), venous drainage (hepatic veins).
6. Describe the blood supply to bone marrow and the anatomical sites of active hematopoiesis in children vs. adults.

PBL1a – Inquiry Phase: Probing Questions for Anatomy

Step	Questions for Students
Clarify Terms	*"What does 'lymphadenopathy' mean? What does 'BRCM' stand for?"*
Define Problems	*"Which anatomical structures are affected in this child based on the physical examination?"*
Brainstorm	*"Why are the axillary lymph nodes enlarged? What is their normal function?"*
Analyze	*"The spleen is NOT palpable. In a child with chronic hemolytic anemia, what would you normally expect? Why might it be absent here?"*
Formulate LOs	*"What do we need to learn about the structure and function of lymphoid organs to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Anatomy

Question	Expected Student Response
"Draw and label the histology of a lymph node on the whiteboard. Which zones are responsible for B-cell and T-cell maturation?"	Cortex (B cells), Paracortex (T cells), Medulla (plasma cells).
"Explain the difference between white pulp and red pulp in	Red pulp (sinusoids) filters RBCs. White pulp

the spleen. Which part is responsible for filtering old RBCs?"	(lymphoid tissue) is for immune function.
"Why is the liver enlarged in this child? Which anatomical structures are involved in extramedullary hematopoiesis?"	Liver, spleen, lymph nodes, and bone marrow can all produce blood cells outside the marrow.
"Trace the blood supply to the liver. How does portal venous blood reach the hepatocytes?"	Portal vein and hepatic artery enter at porta hepatis → sinusoids → central vein → hepatic veins → IVC.
"What anatomical changes occur in bone marrow during chronic anemia?"	Marrow expands into long bones, causing bone pain and characteristic changes (hair-on-end appearance on X-ray).

Key Teaching Points for Anatomy Tutor

- **Extramedullary Hematopoiesis:** The liver and lymph nodes are acting as secondary sites of blood cell production because the bone marrow is overwhelmed.
- **Auto-splenectomy:** In thalassemia, the spleen can become so overworked that it infarcts and shrinks – explain why it is not palpable.
- **Lymph Node Size:** Nodes >1.5 cm are considered significant – discuss differentials (infection vs. extramedullary hematopoiesis).

PHYSIOLOGY TUTOR GUIDE

Case Summary for Physiology Tutor

This case presents a child with chronic anemia, jaundice, bone pain, and hepatomegaly. The physiological focus is on erythropoiesis, RBC lifecycle, hemoglobin function, and the physiological basis of jaundice.

Key Physiological Concepts in This Case

Concept	Relevance to Case
Erythropoiesis	Chronic anemia → increased erythropoietin (EPO) → marrow expansion → bone pain.
RBC Lifecycle	Normal lifespan ~120 days. Hemolysis (early destruction) → anemia and jaundice.
Hemoglobin Function	Oxygen transport – deficiency causes pallor, weakness, fatigue.
Spleen Function	Phagocytosis of old RBCs – overwork leads to splenomegaly (or auto-splenectomy).
Jaundice Physiology	Unconjugated bilirubin accumulates due to hemolysis → dark urine, yellow eyes.
Cardiac Response	Tachycardia (HR 96/min) – compensatory response to anemia to maintain oxygen delivery.

Learning Objectives (Physiology)

1. Explain the process of erythropoiesis – stages of RBC development, role of erythropoietin (EPO), and sites of production (fetal vs. adult).
2. Describe the lifecycle of a red blood cell – production, lifespan (~120 days), and destruction in the reticuloendothelial system.
3. Explain the functions of the spleen – phagocytosis of old RBCs, immune surveillance, and extramedullary hematopoiesis.
4. Explain the physiological basis of jaundice – how hemolysis leads to unconjugated

hyperbilirubinemia.

5. Describe the physiological compensatory mechanisms in chronic anemia – tachycardia, increased cardiac output, and 2,3-DPG shift.
6. Explain the oxygen-hemoglobin dissociation curve and how anemia affects oxygen delivery to tissues.

PBL1a – Inquiry Phase: Probing Questions for Physiology

Step	Questions for Students
Clarify Terms	*"What is 'pallor' physiologically? What does 'hemolysis' mean?"*
Define Problems	*"Which physiological systems are affected in this child?"*
Brainstorm	*"Why does this child have tachycardia (HR 96/min) and a high respiratory rate (RR 36/min)?"*
Analyze	*"If RBCs are being destroyed faster than they are produced, what happens to oxygen delivery to tissues?"*
Formulate LOs	*"What do we need to learn about RBC production, function, and destruction to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Physiology

Question	Expected Student Response
"Trace the lifecycle of a red blood cell from production to destruction. Where does each step occur?"	Bone marrow (production) → circulation (120 days) → spleen/liver (destruction).
"The child has jaundice and dark urine. Explain the physiological pathway that leads to these findings."	Hemolysis → unconjugated bilirubin ↑ → liver conjugation → urobilinogen → urine (dark).
"Why does anemia cause tachycardia? Explain using the equation Cardiac Output = Heart Rate × Stroke Volume."	To maintain cardiac output and oxygen delivery, heart rate increases when oxygen-carrying capacity is reduced.
"How does the body compensate for chronic anemia at the tissue level?"	Increased 2,3-DPG → right shift of oxygen-hemoglobin dissociation curve → increased oxygen unloading to tissues.
"What happens to the spleen in chronic hemolytic anemia? Explain its physiological response."	Overwork → splenomegaly → eventual fibrosis/infarction (auto-splenectomy).

Key Teaching Points for Physiology Tutor

- **Erythropoiesis:** Explain how hypoxia stimulates EPO release from the kidneys → increased RBC production.
- **Hemolysis:** Increased RBC destruction → elevated unconjugated bilirubin → jaundice (pre-hepatic).
- **Compensatory Tachycardia:** The body tries to maintain oxygen delivery despite low hemoglobin.
- **Spleen Function:** Overwork leads to splenomegaly; if chronic, can lead to auto-splenectomy.

BIOCHEMISTRY TUTOR GUIDE

Case Summary for Biochemistry Tutor

This case involves a child with anemia, jaundice, dark urine, and a family history of blood disorders. The biochemical focus is on hemoglobin structure, heme degradation, types of jaundice, and hemoglobinopathies.

Key Biochemical Concepts in This Case

Concept	Relevance to Case
Hemoglobin Structure	HbA (α2β2), HbA2 (α2δ2), HbF (α2γ2). Deficiency of β-globin chain → thalassemia.
Heme Degradation	Heme → Biliverdin → Unconjugated Bilirubin → Conjugated → Urobilinogen → Dark urine.
Jaundice Classification	Pre-hepatic (hemolytic) – unconjugated bilirubin ↑, urine urobilinogen ↑.
Hemoglobinopathies	Thalassemia (reduced globin synthesis) vs. Sickle Cell (structural mutation).
Bilirubin Transport	Unconjugated bilirubin is bound to albumin – not water-soluble → not excreted in urine.

Learning Objectives (Biochemistry)

1. Describe the structure of normal hemoglobin – heme (protoporphyrin IX + Fe^{2+}) and globin chains (α, β, γ, δ).
2. Describe the complete pathway of heme degradation – Hemoglobin → Heme → Biliverdin (Heme Oxygenase) → Unconjugated Bilirubin → Albumin-bound transport → Liver → Conjugation (UDP-glucuronyl transferase) → Excretion in bile.
3. Classify jaundice into Pre-hepatic (hemolytic), Hepatic (hepatocellular), and Post-hepatic (obstructive) based on the type of bilirubin elevated (unconjugated vs. conjugated).
4. Differentiate hemoglobinopathies (structural defects – Sickle Cell) from Thalassemias (synthesis defects – reduced globin chain production).
5. Explain the biochemical basis of dark urine in hemolysis (urobilinogen excretion).
6. Discuss the role of iron in hemoglobin synthesis and how iron overload can occur in chronic hemolytic anemias.

PBL1a – Inquiry Phase: Probing Questions for Biochemistry

Step	Questions for Students
Clarify Terms	*"What is 'hemoglobin'? What does 'hemoglobinopathy' mean?"*
Define Problems	*"Which biochemical pathways are disrupted in this child?"*
Brainstorm	*"The child has jaundice and dark urine. Which biochemical pathway links these two findings?"*
Analyze	*"If this is a hemolytic anemia, which type of bilirubin (unconjugated vs. conjugated) would be elevated? Why?"*
Formulate LOs	*"What do we need to learn about hemoglobin metabolism and bilirubin to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Biochemistry

Question	Expected Student Response
"Draw the heme degradation pathway on the whiteboard. At which step does the dark color in urine originate?"	Heme → Biliverdin → Unconjugated Bilirubin → Conjugated Bilirubin → Urobilinogen (urine) and Stercobilin (stool).
"The family history is positive for blood disorders. If this child has Beta-thalassemia, what would an Hb Electrophoresis show?"	Elevated HbF, reduced/absent HbA, variable HbA2.
"Why is the jaundice in this case classified as pre-hepatic (hemolytic)?"	Hemolysis → ↑ unconjugated bilirubin → no bile salts in urine → urine urobilinogen ↑.

"What is the biochemical composition of hemoglobin? Which amino acids are involved in the heme-globin interaction?"	Heme (protoporphyrin IX + Fe^{2+}) + Globin chains (α and β). Histidine residues coordinate heme.
"Explain the difference between a hemoglobinopathy and a thalassemia using biochemical principles."	Hemoglobinopathy = structural mutation (e.g., HbS). Thalassemia = reduced synthesis of globin chains (e.g., β-thalassemia).

Key Teaching Points for Biochemistry Tutor

- **Hemoglobin Structure:** Emphasize the normal types of hemoglobin (HbA, HbA2, HbF) and their globin chain composition.
- **Heme Degradation:** Ensure students can draw and explain the complete pathway.
- **Jaundice Classification:** Help students differentiate pre-hepatic, hepatic, and post-hepatic jaundice based on bilirubin type.
- **Thalassemia vs. Sickle Cell:** Clarify the biochemical difference between reduced synthesis (thalassemia) and structural mutation (sickle cell).

CASE 02: THE CLERK WITH A SLIP – LUMBAR DISC HERNIATION
(1st Year – Module II: Locomotor System)

ANATOMY TUTOR GUIDE

Case Summary for Anatomy Tutor
This case involves a 45-year-old male with acute low back pain radiating down the right leg, foot drop, and sensory loss. The anatomical focus is on the intervertebral disc, spinal nerve roots, lumbosacral plexus, and peripheral nerves (sciatic and common peroneal nerves).

Key Anatomical Concepts in This Case

Concept	Relevance to Case
Intervertebral Disc	Nucleus pulposus herniation compressing nerve root.
Lumbar Nerve Roots	L4, L5, S1 – specific root affected (L5) based on clinical findings.
Sciatic Nerve	Origin (L4-S3), course, and branches – supplies posterior thigh and leg.
Common Peroneal Nerve	Branch of sciatic – supplies dorsiflexors (foot drop).
Dermatomes	L5 dermatome – sensation over dorsum of foot and lateral leg.
Myotomes	L5 myotome – ankle dorsiflexion, great toe extension.
Lumbosacral Plexus	Formation of nerves supplying the lower limb.

Learning Objectives (Anatomy)

1. Describe the gross anatomy of a typical intervertebral disc – nucleus pulposus, annulus fibrosus, and relationship to spinal nerve roots.
2. Describe the anatomy of the lumbosacral plexus – formation (L4-S3), major branches (femoral, sciatic, obturator).
3. Trace the origin, course, and termination of the sciatic nerve – from the sacral plexus through the greater sciatic foramen, into the posterior thigh.
4. Trace the origin, course, and branches of the common peroneal (fibular) nerve – from the sciatic nerve, around the neck of the fibula, to supply the anterior and lateral compartments of the leg.
5. Define and map the dermatomes and myotomes of the lower limb – with emphasis on L4, L5, and S1.
6. Describe the anatomical boundaries and contents of the intervertebral foramen and its relationship to nerve root compression.

PBL1a – Inquiry Phase: Probing Questions for Anatomy

Step	Questions for Students
Clarify Terms	*"What is a 'disc'? What does 'herniation' mean? What is a 'dermatome'?"*
Define Problems	*"Which anatomical structures are involved in this patient's symptoms?"*
Brainstorm	*"Which nerve root is most likely compressed based on the foot drop and sensory loss?"*
Analyze	*"Why does the pain worsen with coughing and sneezing?"* (Leads to increased intrathecal pressure on nerve roots).
Formulate LOs	*"What do we need to learn about spinal anatomy and peripheral nerves to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Anatomy

Question	Expected Student Response
"Draw a typical lumbar vertebra and	Nucleus pulposus is central (gelatinous), annulus

intervertebral disc. Label the nucleus pulposus, annulus fibrosus, and spinal nerve root."	fibrosus is outer (fibrous), nerve root exits through the intervertebral foramen.
"Using the dermatome map, why is sensation lost on the top of the right foot but NOT the heel?"	L5 supplies the dorsum of the foot; S1 supplies the heel.
"Trace the sciatic nerve from its origin to its branches. Which branch is affected in foot drop?"	Sciatic → Common Peroneal → Deep Peroneal (supplies dorsiflexors).
"Why does the SLR test become positive at 30°?"	Stretching the sciatic nerve and L5 nerve root causes pain, indicating irritation/compression.
"What is the anatomical relationship between the L4-L5 disc and the L5 nerve root?"	L5 nerve root traverses the lateral recess and is vulnerable to posterolateral disc herniation at L4-L5.

Key Teaching Points for Anatomy Tutor

- **Dermatomes and Myotomes:** Ensure students can map L4 (knee extension), L5 (ankle dorsiflexion, EHL), and S1 (ankle plantarflexion).
- **Sciatic Nerve:** The largest peripheral nerve – emphasize its course and branches.
- **Foot Drop:** Weakness of ankle dorsiflexion and great toe extension indicates L5 or common peroneal nerve injury.

PHYSIOLOGY TUTOR GUIDE

Case Summary for Physiology Tutor

This case involves a patient with nerve root compression causing weakness and sensory loss. The physiological focus is on nerve conduction, neuromuscular junction, muscle contraction, and pain physiology.

Key Physiological Concepts in This Case

Concept	Relevance to Case
Nerve Conduction	Compression slows/damages nerve impulses → weakness, numbness.
Neuromuscular Junction	Motor signals fail to reach muscles → foot drop.
Sliding Filament Theory	Muscle weakness due to reduced motor unit activation.
Pain Physiology	Radicular pain from nerve root irritation – nociceptors, referred pain.
Reflex Arc	Muscle stretch reflex – knee jerk (L4), ankle jerk (S1) – both preserved here.

Learning Objectives (Physiology)

1. Explain the physiology of nerve conduction – resting membrane potential, action potential generation, and saltatory conduction.
2. Describe the sequence of events at the neuromuscular junction – release of acetylcholine, binding to receptors, generation of end-plate potential.
3. Explain the sliding filament theory of skeletal muscle contraction – actin-myosin cross-bridge cycling.
4. Describe the physiological basis of the muscle stretch reflex – why knee and ankle jerks are tested.
5. Explain the physiology of pain – nociceptors, pain pathways (spinothalamic tract), and referred pain.
6. Define muscle tone and explain how lower motor neuron lesions (or radiculopathy) affect it.

PBL1a – Inquiry Phase: Probing Questions for Physiology

Step	Questions for Students

Clarify Terms	*"What is a 'nerve root'? What does 'radiculopathy' mean physiologically?"*
Define Problems	*"Which physiological systems are affected in this patient?"*
Brainstorm	*"How does a herniated disc cause muscle weakness?"*
Analyze	*"Why are the reflexes (knee and ankle) normal if there is nerve compression?"*
Formulate LOs	*"What do we need to learn about nerve physiology and muscle contraction to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Physiology

Question	Expected Student Response
"Explain the sequence of events from the brain sending a signal to the foot muscles moving. Where is the block in this patient?"	Brain → spinal cord → anterior horn cell → ventral root → peripheral nerve → NMJ → muscle. The block is at the L5 nerve root due to compression.
"Why does the patient have reduced sensation but normal reflexes?"	Sensory fibers are affected (dermatome), but the reflex arc (L4 knee jerk, S1 ankle jerk) is intact because L5 is not the primary root for these reflexes.
"What happens at the neuromuscular junction when the nerve is compressed?"	Reduced motor unit recruitment → fewer action potentials reaching NMJ → less ACh release → weak muscle contraction.
"Why does lifting a heavy weight cause a disc to herniate?"	Increased intra-abdominal and intrathecal pressure → annulus fibrosus tears → nucleus pulposus bulges.
"Explain the physiological basis of the SLR test."	Stretching the sciatic nerve and L5/S1 nerve roots causes pain if they are inflamed or compressed.

Key Teaching Points for Physiology Tutor

- **Nerve Compression:** Leads to reduced conduction velocity, paresthesia, and weakness.
- **NMJ:** Motor signals fail to activate muscles → foot drop.
- **Reflexes:** Normal reflexes do not rule out radiculopathy – they test specific roots (L4, S1) that may be unaffected.
-

BIOCHEMISTRY TUTOR GUIDE

Case Summary for Biochemistry Tutor

This case involves a patient with disc herniation and nerve compression. The biochemical focus is on the extracellular matrix of the intervertebral disc, collagen and proteoglycan metabolism, and age-related degeneration.

Key Biochemical Concepts in This Case

Concept	Relevance to Case
Disc Composition	Nucleus pulposus – high water content, proteoglycans (aggrecan), collagen (Type II).
Proteoglycans	Provide osmotic pressure, attract water, maintain disc height.
Collagen	Type I (annulus fibrosus) – strength; Type II (nucleus) – shock absorption.
Matrix Metalloproteinases (MMPs)	Enzymes that degrade disc matrix – contribute to degeneration.
Aging Changes	Loss of water, proteoglycans → disc dehydration → increased risk of herniation.
Inflammation	Chemical mediators (TNF-α, IL-1) released from herniated disc → nerve irritation.

Learning Objectives (Biochemistry)

1. Describe the biochemical composition of the intervertebral disc – collagen (Types I and II), proteoglycans (aggrecan), and high water content.
2. Explain the role of proteoglycans (aggrecan) in maintaining disc hydration and osmotic pressure.
3. Discuss how aging and degeneration alter the biochemical composition of the disc – loss of proteoglycans, dehydration, collagen cross-linking.
4. Explain the role of matrix metalloproteinases (MMPs) in disc degeneration.
5. Discuss the biochemical basis of inflammation in disc herniation – release of TNF-α, IL-1, and prostaglandins causing nerve root irritation and pain.
6. Describe the biochemical changes that predispose to disc herniation with age.

PBL1a – Inquiry Phase: Probing Questions for Biochemistry

Step	Questions for Students
Clarify Terms	*"What are 'proteoglycans'? What is 'collagen'?"*
Define Problems	*"Which biochemical components are compromised in this patient's disc?"*
Brainstorm	*"Why are discs more likely to herniate in a 45-year-old compared to a 20-year-old?"*
Analyze	*"What happens biochemically to the disc when it is loaded with heavy weight?"*
Formulate LOs	*"What do we need to learn about the biochemistry of connective tissue to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Biochemistry

Question	Expected Student Response
"What is the biochemical composition of the nucleus pulposus? Why does it act as a shock absorber?"	High water content (~70-80%), proteoglycans (aggrecan) bind water, collagen Type II provides structure. Water is incompressible → shock absorption.
"Why does the disc lose height and become more vulnerable to herniation with age?"	Loss of proteoglycans → reduced osmotic pressure → water loss → disc dehydration → annulus fibrosus weakens → herniation risk increases.
"What enzymes are involved in disc degeneration? What triggers them?"	MMPs (Matrix Metalloproteinases) – triggered by mechanical stress, inflammation, and aging.
"Why does the herniated disc cause so much pain? What chemical mediators are involved?"	TNF-α, IL-1, and prostaglandins are released from the herniated nucleus pulposus → irritate nerve roots → inflammation and pain.
"How does obesity affect the biochemistry of the intervertebral disc?"	Increased mechanical load → accelerated proteoglycan loss → faster disc degeneration.

Key Teaching Points for Biochemistry Tutor

- **Proteoglycans:** Explain how aggrecan attracts water and maintains disc height.
- **Collagen Types:** Differentiate Type I (tensile strength – annulus) and Type II (shock absorption – nucleus).
- **Aging:** Decreased proteoglycan synthesis → decreased hydration → degenerative disc disease.
- **Inflammatory Mediators:** Herniated disc releases chemical irritants that cause nerve root inflammation.

CASE 03: THE TEACHER WHO KEPT FAINTING – STOKES-ADAMS SYNDROME

(1st Year – Module III: Cardiorespiratory System)

ANATOMY TUTOR GUIDE

Case Summary for Anatomy Tutor

This case involves a 60-year-old male with recurrent syncope, bradycardia (HR 32/min), and ECG showing complete heart block. The anatomical focus is on the conducting system of the heart and its blood supply.

Key Anatomical Concepts in This Case

Concept	Relevance to Case
Conducting System	SA node, AV node, Bundle of His, bundle branches, Purkinje fibers – complete dissociation indicates AV block.
SA Node Blood Supply	Right Coronary Artery (RCA) – 60% of individuals.
AV Node Blood Supply	Right Coronary Artery (RCA) – 90% of individuals.
Location of Nodes	SA node – upper right atrium. AV node – lower interatrial septum.
Cannon 'a' Waves	Atrial contraction against a closed tricuspid valve – visible in neck veins.

Learning Objectives (Anatomy)

1. Draw and label the conducting system of the heart – Sinoatrial (SA) node, Atrioventricular (AV) node, Bundle of His, Right and Left Bundle Branches, and Purkinje fibers.
2. Identify the blood supply to the SA node and AV node (Right Coronary Artery).
3. Describe the anatomical location of the SA node (upper part of the right atrium) and AV node (lower interatrial septum).
4. Describe the anatomy of the coronary circulation – right and left coronary arteries, their branches, and the areas they supply.
5. Explain the anatomical basis of Cannon 'a' waves – visible neck vein pulsations due to atrial contraction against a closed AV valve.

PBL1a – Inquiry Phase: Probing Questions for Anatomy

Step	Questions for Students
Clarify Terms	*"What is the 'SA node'? What is the 'AV node'? What does 'complete heart block' mean anatomically?"*
Define Problems	*"Which anatomical structures are involved in this patient's condition?"*
Brainstorm	*"If the SA node is firing at 80/min but the ventricles are beating at 32/min, where is the block located?"*
Analyze	*"Why are there Cannon 'a' waves visible in the neck?"*
Formulate LOs	*"What do we need to learn about the anatomy of the cardiac conduction system to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Anatomy

Question	Expected Student Response
"Draw the conducting system of the heart on the whiteboard and trace the pathway of the electrical impulse from the SA node to the ventricles."	SA node → AV node → Bundle of His → Left/Right Bundle Branches → Purkinje fibers.

"Where is the SA node located anatomically? What is its blood supply?"	Upper right atrium. Supplied by the Right Coronary Artery (RCA) in 60% of individuals.
"Where is the AV node located? What is its blood supply?"	Lower interatrial septum. Supplied by the RCA in 90% of individuals.
"Why does complete heart block cause Cannon 'a' waves in the neck?"	Atria contract while AV valves are closed → pressure back-flow into jugular veins → visible 'a' waves.
"What is the anatomical basis of the variable S1 heart sound?"	Variable position of AV valves at the time of ventricular contraction due to AV dissociation.

Key Teaching Points for Anatomy Tutor

- **Conducting System:** Ensure students can trace the pathway from SA node to ventricles.
- **Blood Supply:** Emphasize that the RCA supplies both the SA and AV nodes in most individuals.
- **Cannon 'a' Waves:** Explain the anatomical basis of this sign in complete heart block.

PHYSIOLOGY TUTOR GUIDE

Case Summary for Physiology Tutor

This case involves a patient with recurrent syncope due to complete heart block. The physiological focus is on the cardiac action potential, cardiac output, and the physiological basis of syncope.

Key Physiological Concepts in This Case

Concept	Relevance to Case
Pacemaker Action Potential	SA node generates impulses – ionic basis (Funny channels, Ca^{2+}).
Ventricular Action Potential	Phases 0-4 – Na^+, Ca^{2+}, K^+ ion movement.
Cardiac Output	CO = HR × SV – dramatic reduction with HR 32/min → syncope.
Cannon 'a' Waves	Atrial contraction against closed AV valve → elevated JVP.
Complete Heart Block	AV dissociation – atria and ventricles beat independently.
Syncope	Reduced cerebral blood flow due to low cardiac output.

Learning Objectives (Physiology)

1. Explain the ionic basis of the pacemaker action potential in the SA node – Funny channels (Na^+ influx), Transient (T-type) Ca^{2+} channels, and L-type Ca^{2+} channels.
2. Explain the ventricular action potential – Phases 0-4: Phase 0 (Na^+ influx), Phase 1 (K^+ efflux), Phase 2 (Ca^{2+} influx), Phase 3 (K^+ efflux), Phase 4 (Resting potential).
3. State the equation Cardiac Output = Heart Rate × Stroke Volume. Calculate how reducing heart rate from 72/min to 32/min affects cardiac output.
4. Explain the mechanism of Cannon 'a' waves – atrial contraction against a closed tricuspid valve during AV dissociation.
5. Explain the physiological basis of syncope – reduced cerebral blood flow due to low cardiac output.
6. Describe the autonomic regulation of heart rate – sympathetic (increases) and parasympathetic (decreases) influences.

PBL1a – Inquiry Phase: Probing Questions for Physiology

Step	Questions for Students
Clarify Terms	*"What is 'bradycardia'? What is 'syncope'? What is 'cardiac output'?"*
Define Problems	*"Which physiological systems are affected in this patient?"*

Brainstorm	*"Why does a heart rate of 32/min cause loss of consciousness?"*
Analyze	*"The patient's SA node is firing at 80/min, but the ventricles are at 32/min. What does this tell us about AV conduction?"*
Formulate LOs	*"What do we need to learn about cardiac electrophysiology and cardiac output to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Physiology

Question	Expected Student Response
"Explain the ionic basis of the pacemaker action potential in the SA node. What generates the spontaneous firing?"	Funny channels (Na^+ influx) → slow depolarization → T-type Ca^{2+} channels → L-type Ca^{2+} channels → action potential.
"Calculate the cardiac output if HR = 32/min and SV = 70 mL. Compare it to a normal HR of 72/min."	CO = 32 × 70 = 2,240 mL/min (2.24 L/min). Normal: 72 × 70 = 5,040 mL/min (5 L/min). Reduction by >50% → syncope.
"Why does the patient lose consciousness? What is the physiological relationship between cardiac output and cerebral blood flow?"	Reduced CO → reduced cerebral perfusion pressure → decreased cerebral blood flow → loss of consciousness.
"What are Cannon 'a' waves? Explain their physiological mechanism."	Atria contract against closed AV valves due to AV dissociation → increased JVP → visible 'a' waves.
"Why does the S1 heart sound vary in intensity?"	Variable position of AV valves at the time of ventricular contraction due to independent atrial and ventricular rhythms.

Key Teaching Points for Physiology Tutor

- **Cardiac Output:** Emphasize the critical relationship between HR and CO. A HR of 32/min is insufficient to maintain cerebral perfusion.
- **Action Potentials:** Help students understand the ionic basis of automaticity in the SA node.
- **AV Dissociation:** The atria and ventricles beat independently in complete heart block.
-

BIOCHEMISTRY TUTOR GUIDE

Case Summary for Biochemistry Tutor

This case involves a patient with bradycardia and complete heart block. The biochemical focus is on the role of electrolytes in cardiac function, excitation-contraction coupling, and ion imbalances.

Key Biochemical Concepts in This Case

Concept	Relevance to Case
Potassium (K^+)	Critical for resting membrane potential. Hyperkalemia/hypokalemia → arrhythmias.
Calcium (Ca^{2+})	Essential for excitation-contraction coupling and action potential generation.
Sodium (Na^+)	Involved in depolarization – phase 0 of ventricular action potential.
Excitation-Contraction Coupling	Ca^{2+} release from sarcoplasmic reticulum → muscle contraction.

Electrolyte Imbalance	Can precipitate or worsen bradyarrhythmias.

Learning Objectives (Biochemistry)

1. Discuss the critical role of Potassium (K^+) in maintaining the resting membrane potential and cardiac conduction.
2. Discuss the critical role of Calcium (Ca^{2+}) in cardiac muscle contraction (excitation-contraction coupling) and action potential generation (Phase 2).
3. Discuss the role of Sodium (Na^+) in depolarization (Phase 0 of ventricular action potential).
4. Explain how hyperkalemia and hypokalemia alter the resting membrane potential and can precipitate arrhythmias.
5. Explain the role of Magnesium (Mg^{2+}) in cardiac function – as a cofactor for Na^+/K^+-ATPase and Ca^{2+} channels.
6. Discuss the biochemical basis of cardiac muscle contraction – actin-myosin interaction, ATP hydrolysis, and Ca^{2+} regulation.

PBL1a – Inquiry Phase: Probing Questions for Biochemistry

Step	Questions for Students
Clarify Terms	*"What are 'electrolytes'? What is 'excitation-contraction coupling'?"*
Define Problems	*"Which biochemical pathways are involved in cardiac conduction and contraction?"*
Brainstorm	*"Why are potassium and calcium levels important for normal heart function?"*
Analyze	*"The patient's electrolytes are normal. What does this tell us about the cause of his heart block?"*
Formulate LOs	*"What do we need to learn about the biochemistry of electrolytes and cardiac muscle to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Biochemistry

Question	Expected Student Response
"Explain the role of potassium in generating the cardiac action potential. What happens if potassium levels are high or low?"	K^+ determines resting membrane potential. Hyperkalemia → depolarization → arrhythmias. Hypokalemia → prolonged repolarization → arrhythmias.
"What is the role of calcium in excitation-contraction coupling? How does calcium enter the cardiac myocyte?"	Ca^{2+} enters via L-type Ca^{2+} channels → triggers Ca^{2+} release from SR (RyR) → binds troponin C → muscle contraction.
"Why are serum potassium and calcium levels routinely checked in patients with bradyarrhythmias?"	Electrolyte imbalances can cause or worsen arrhythmias. Normal levels help rule out metabolic causes.
"What is the biochemical mechanism of cardiac muscle relaxation?"	Ca^{2+} is pumped back into the SR (SERCA) and extracellular space → Ca^{2+} dissociates from troponin → muscle relaxes.
"How does ATP contribute to cardiac muscle contraction and relaxation?"	ATP provides energy for myosin head movement (contraction) and Ca^{2+} pumping (relaxation).

Key Teaching Points for Biochemistry Tutor

- **Potassium:** Emphasize its role in resting membrane potential and arrhythmogenesis.
- **Calcium:** Explain its critical role in excitation-contraction coupling.
- **Normal Electrolytes:** In this case, normal electrolytes suggest the cause is structural/disease-related, not metabolic.

CASE 04: THE HOUSEWIFE WITH YELLOW EYES – OBSTRUCTIVE JAUNDICE

(2nd Year – Module IV: Hepatobiliary System)

ANATOMY TUTOR GUIDE

Case Summary for Anatomy Tutor

This case involves a 42-year-old woman with jaundice, right upper quadrant pain, fever, and a positive Murphy's sign. The anatomical focus is on the liver, gallbladder, biliary tree, and their histology.

Key Anatomical Concepts in This Case

Concept	Relevance to Case
Liver Anatomy	Right hypochondrium pain – liver location, lobes, surfaces.
Gallbladder Anatomy	Murphy's sign – gallbladder inflammation (cholecystitis).
Biliary Tree	Common bile duct, cystic duct, hepatic ducts – obstruction causes jaundice.
Referred Pain	Right shoulder pain – phrenic nerve (C3,4,5) irritation.
Liver Histology	Hepatic lobules, portal triads, sinusoids, hepatocytes.
Gallbladder Histology	Mucosal folds, muscularis layer, serosa.

Learning Objectives (Anatomy)

1. Describe the gross anatomy of the liver – lobes (right, left, caudate, quadrate), surfaces (diaphragmatic, visceral), and porta hepatis.
2. Describe the gross anatomy of the gallbladder – fundus, body, neck, and the cystic duct.
3. Describe the extrahepatic biliary apparatus – common hepatic duct, cystic duct, common bile duct, and their anatomical course.
4. Describe the blood supply of the liver – hepatic artery (oxygenated blood) and portal vein (nutrient-rich blood) – and venous drainage (hepatic veins → IVC).
5. Describe the histology of the liver lobule – hepatic cords, sinusoids, Kupffer cells, space of Disse, and portal triad (hepatic artery, portal vein, bile duct).
6. Describe the histology of the gallbladder – mucosal folds (rugae), lamina propria, muscularis, and serosa.
7. Explain the anatomical basis of referred pain to the right shoulder – phrenic nerve (C3,4,5) innervating the diaphragm.

PBL1a – Inquiry Phase: Probing Questions for Anatomy

Step	Questions for Students
Clarify Terms	*"What does 'Murphy's sign' mean anatomically? What is 'icterus'?"*
Define Problems	*"Which anatomical structures are involved in this patient's symptoms?"*
Brainstorm	*"Why is there right upper quadrant pain? Which organ is likely involved?"*
Analyze	*"Why does the patient have right shoulder pain? What is the anatomical pathway of this referred pain?"*
Formulate LOs	*"What do we need to learn about the anatomy of the hepatobiliary system to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Anatomy

Question	Expected Student Response
"Draw the extrahepatic biliary apparatus on the	Gallbladder → Cystic duct → Common Hepatic Duct

whiteboard. Label the gallbladder, cystic duct, common hepatic duct, and common bile duct."	(from liver) → Common Bile Duct → Ampulla of Vater → Duodenum.
"Murphy's sign is positive. Which anatomical structure is inflamed? Why does pressing under the right ribs cause inspiratory arrest?"	The gallbladder is inflamed. Pressing under the right ribs forces the gallbladder against the inflamed peritoneum → causes pain and stops inspiration.
"Explain the anatomical basis of right shoulder pain in gallbladder disease."	Irritation of the diaphragm (phrenic nerve – C3,4,5) → referred pain to the right shoulder.
"Describe the histology of the liver lobule. What cells line the sinusoids?"	Hepatic cords (hepatocytes), sinusoids lined with endothelial cells and Kupffer cells (macrophages). Portal triad = hepatic artery, portal vein, bile duct.
"Why does obstruction of the common bile duct cause jaundice?"	Bile cannot drain → bilirubin backs up into the blood → jaundice.

Key Teaching Points for Anatomy Tutor

- **Murphy's Sign:** Explain its anatomical basis – the gallbladder presses against the inflamed peritoneum during inspiration.
- **Referred Pain:** Phrenic nerve irritation causes right shoulder pain.
- **Biliary Tree:** Ensure students can trace the pathway of bile from the liver to the duodenum.

PHYSIOLOGY TUTOR GUIDE

Case Summary for Physiology Tutor

This case involves a patient with jaundice, right upper quadrant pain, and fever. The physiological focus is on bile synthesis and secretion, gallbladder function, and hormonal regulation of bile secretion.

Key Physiological Concepts in This Case

Concept	Relevance to Case
Bile Synthesis	Hepatocytes produce bile – contains bile salts, pigments, cholesterol.
Gallbladder Function	Stores and concentrates bile – releases upon CCK stimulation.
CCK (Cholecystokinin)	Hormone released by I-cells in response to fats → gallbladder contraction.
Secretin	Stimulates bicarbonate-rich bile secretion from ductal cells.
Enterohepatic Circulation	Bile salts are recycled → loss leads to fat malabsorption.
Obstruction	Blocked bile flow → conjugated bilirubin backs up → jaundice.

Learning Objectives (Physiology)

1. Describe the functions of the gallbladder – storage, concentration, and release of bile.
2. Explain the synthesis and secretion of bile by hepatocytes – bile salts, bile pigments, cholesterol, phospholipids.
3. Discuss the GIT hormones regulating bile secretion – especially Cholecystokinin (CCK) (released by I-cells in response to fats, stimulates gallbladder contraction and pancreatic enzyme secretion) and Secretin (stimulates bicarbonate-rich bile secretion from ductal cells).
4. Discuss the enterohepatic circulation of bile salts – recycling from the ileum back to the liver.
5. Enumerate the causes of cholelithiasis (gallstones) and explain how gallstones can lead to obstructive jaundice.
6. Explain the physiological consequences of bile duct obstruction – fat malabsorption, steatorrhea, obstructive jaundice.

PBL1a – Inquiry Phase: Probing Questions for Physiology

Step	Questions for Students
Clarify Terms	*"What is 'bile'? What is 'CCK'? What does 'obstructive jaundice' mean?"*
Define Problems	*"Which physiological systems are affected in this patient?"*
Brainstorm	*"Why does eating fatty foods (paratha/halwa) worsen the pain?"*
Analyze	*"What happens physiologically when the common bile duct is obstructed?"*
Formulate LOs	*"What do we need to learn about bile physiology and its regulation to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Physiology

Question	Expected Student Response
"Explain the role of CCK in gallbladder contraction. What triggers its release?"	CCK is released by I-cells in the duodenum in response to fats. It stimulates gallbladder contraction and relaxation of the sphincter of Oddi → bile release.
"Why does eating fatty food cause pain in this patient?"	Fats → CCK release → gallbladder contraction against an obstructing stone → biliary colic.
"What is the enterohepatic circulation of bile salts? What happens if it is interrupted?"	Bile salts reabsorbed in the ileum → return to liver via portal blood → recycled. Interruption → reduced bile salt pool → fat malabsorption.
"How does bile duct obstruction lead to jaundice? What type of jaundice is this?"	Conjugated bilirubin cannot drain → backflows into blood → conjugated hyperbilirubinemia → obstructive jaundice.
"What are the physiological consequences of long-term bile duct obstruction?"	Obstructive jaundice, fat malabsorption (steatorrhea), vitamin K deficiency (fat-soluble vitamins).

Key Teaching Points for Physiology Tutor

- **CCK:** Emphasize its role in gallbladder contraction and the physiological basis of biliary colic.
- **Obstructive Jaundice:** Conjugated bilirubin backflows into blood → dark urine (bilirubinuria).
- **Enterohepatic Circulation:** Explain its importance and consequences of interruption.
-

BIOCHEMISTRY TUTOR GUIDE

Case Summary for Biochemistry Tutor

This case involves a patient with jaundice, right upper quadrant pain, and fever. The biochemical focus is on bile composition, bilirubin metabolism, lipid digestion and absorption, and liver function tests.

Key Biochemical Concepts in This Case

Concept	Relevance to Case
Bile Composition	Bile salts, bilirubin, cholesterol, phospholipids, electrolytes.
Bilirubin Metabolism	Heme → Unconjugated → Conjugated → Excretion. Obstruction causes buildup.
Lipid Digestion	Bile salts emulsify fats → micelle formation → absorption.
LFT Interpretation	Elevated bilirubin (conjugated), ALP, GGT – cholestatic pattern.
Jaundice Classification	Post-hepatic (obstructive) – conjugated bilirubin ↑, ALP ↑.

Learning Objectives (Biochemistry)

1. Describe the biochemical composition of bile – bile salts (cholic acid, chenodeoxycholic acid), bile pigments (bilirubin), cholesterol, phospholipids, and electrolytes.
2. Describe the complete fate of bilirubin – from heme degradation to excretion in feces

(stercobilin) and urine (urobilinogen).

3. Explain the process of digestion and absorption of lipids – role of bile salts in emulsification, formation of micelles, and absorption of fatty acids.
4. Interpret a basic Liver Function Test (LFT) report – differentiate between hepatocellular (ALT/AST ↑) and cholestatic (ALP/GGT ↑) patterns, and between unconjugated vs. conjugated hyperbilirubinemia.
5. Explain the biochemical basis of obstructive jaundice – conjugated bilirubin builds up in blood → dark urine (bilirubinuria) and pale stools (absent stercobilin).
6. Classify jaundice into Pre-hepatic (hemolytic), Hepatic (hepatocellular), and Post-hepatic (obstructive).

PBL1a – Inquiry Phase: Probing Questions for Biochemistry

Step	Questions for Students
Clarify Terms	*"What is 'bilirubin'? What is 'LFT'? What is 'ALP'?"*
Define Problems	*"Which biochemical pathways are disrupted in this patient?"*
Brainstorm	*"Why is the urine dark but the stools are not mentioned as pale? What does that suggest?"*
Analyze	*"If this is obstructive jaundice, which type of bilirubin (unconjugated vs. conjugated) would be elevated?"*
Formulate LOs	*"What do we need to learn about bilirubin metabolism and LFTs to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Biochemistry

Question	Expected Student Response
"Draw the complete pathway of bilirubin metabolism – from heme to excretion in feces and urine."	Hemoglobin → Heme → Biliverdin → Unconjugated Bilirubin → Liver → Conjugated Bilirubin → Bile → Urobilinogen (gut) → Stercobilin (feces) and Urobilinogen (urine).
"If the common bile duct is obstructed, what would the LFT show? Which type of bilirubin is elevated?"	Conjugated bilirubin ↑ (direct). ALP and GGT ↑ (cholestatic pattern). ALT/AST normal or mildly elevated.
"Why does the urine become dark in obstructive jaundice?"	Conjugated bilirubin is water-soluble → excreted in urine → dark color (bilirubinuria).
"Why are the stools pale in obstructive jaundice?"	Bilirubin cannot reach the gut → no stercobilin (brown pigment) → pale stools.
"Explain the biochemical basis of fat malabsorption in bile duct obstruction."	Bile salts are trapped → reduced emulsification → reduced micelle formation → reduced fat absorption → steatorrhea.

Key Teaching Points for Biochemistry Tutor

- **Bilirubin Metabolism:** Ensure students can trace the pathway from heme to excretion.
- **LFT Interpretation:** Differentiate hepatocellular vs. cholestatic patterns.
- **Obstructive Jaundice:** Conjugated bilirubin → dark urine, pale stools.

CASE 05: THE RETIRED TEACHER WITH A TREMOR – PARKINSON'S DISEASE

(2nd Year – Module V: Nervous System)

ANATOMY TUTOR GUIDE

Case Summary for Anatomy Tutor

This case involves a 62-year-old man with resting tremor, bradykinesia, rigidity, and postural instability. The anatomical focus is on the basal ganglia, substantia nigra, and dopaminergic pathways.

Key Anatomical Concepts in This Case

Concept	Relevance to Case
Basal Ganglia	Caudate, Putamen, Globus Pallidus, Subthalamic Nucleus, Substantia Nigra.
Substantia Nigra	Pars compacta – dopaminergic neurons – degenerates in Parkinson's.
Nigrostriatal Pathway	Dopamine projection from substantia nigra to striatum – critical for movement.
Blood Supply	Lenticulostriate arteries (MCA branches) – vulnerable to ischemia.
Dopaminergic Pathways	Nigrostriatal (motor), Mesolimbic, Mesocortical, Tuberoinfundibular.

Learning Objectives (Anatomy)

1. Identify and locate the components of the Basal Ganglia – Caudate nucleus, Putamen, Globus Pallidus (internal and external segments), Subthalamic nucleus, and Substantia Nigra (pars compacta and pars reticulata).
2. Describe the major dopaminergic pathways in the brain, specifically the Nigrostriatal pathway (from Substantia Nigra pars compacta to the Striatum – Caudate and Putamen).
3. Describe the blood supply to the basal ganglia – Lenticulostriate arteries (branches of the Middle Cerebral Artery).
4. Describe the anatomical connections of the basal ganglia – input (from cortex, thalamus), output (to thalamus, brainstem).
5. Explain the anatomical basis of Parkinson's disease – degeneration of dopaminergic neurons in the substantia nigra pars compacta.

PBL1a – Inquiry Phase: Probing Questions for Anatomy

Step	Questions for Students
Clarify Terms	*"What are the 'basal ganglia'? What is 'substantia nigra'? What is 'nigrostriatal pathway'?"*
Define Problems	*"Which anatomical structures are affected in this patient?"*
Brainstorm	*"Why does the patient have a resting tremor but no tremor during movement?"*
Analyze	*"The CT scan is normal. If there is no structural lesion (tumor/stroke), where is the pathology?"*
Formulate LOs	*"What do we need to learn about the anatomy of the basal ganglia to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Anatomy

Question	Expected Student Response
"Draw and label the basal ganglia on a sagittal section of the brain. Show the connections between the substantia nigra and striatum."	Substantia Nigra (midbrain) → projects to Striatum (Caudate + Putamen) via nigrostriatal pathway.

"Why does the patient have a resting tremor? Which anatomical structure is responsible?"	Loss of dopaminergic input from substantia nigra → imbalance in basal ganglia circuits → resting tremor.
"What is the blood supply to the basal ganglia? Why is this clinically relevant?"	Lenticulostriate arteries from MCA – vulnerable to hypertension/lacunar strokes, but this patient's CT is normal.
"Trace the direct and indirect pathways of the basal ganglia at a basic level. How does dopamine facilitate movement?"	Dopamine (D1 receptors) → facilitates direct pathway → movement. Dopamine (D2 receptors) → inhibits indirect pathway → movement.
"Why does the patient have a 'mask-like' face and micrographia?"	The basal ganglia are involved in initiating and modulating voluntary motor sequences → dysfunction leads to reduced amplitude of movement.

Key Teaching Points for Anatomy Tutor

- **Substantia Nigra:** Emphasize its location in the midbrain and its role in dopamine production.
- **Nigrostriatal Pathway:** The critical pathway from substantia nigra to striatum – degenerates in Parkinson's.
- **Basal Ganglia Circuit:** Explain the direct and indirect pathways at a basic level.
-

PHYSIOLOGY TUTOR GUIDE

Case Summary for Physiology Tutor

This case involves a patient with resting tremor, bradykinesia, rigidity, and postural instability. The physiological focus is on the basal ganglia circuits, dopamine physiology, and the physiological basis of motor control.

Key Physiological Concepts in This Case

Concept	Relevance to Case
Basal Ganglia Function	Planning, initiation, and modulation of voluntary movements.
Direct Pathway	Facilitates movement – D1 receptors.
Indirect Pathway	Inhibits movement – D2 receptors.
Dopamine	Neurotransmitter – deficiency causes hypokinesia.
Substantia Nigra	Dopaminergic neurons – loss causes parkinsonism.
Resting Tremor	4-6 Hz tremor – due to basal ganglia imbalance.
Rigidity	Increased tone – due to reduced inhibition.
Bradykinesia	Slowness – difficulty initiating movement.
Postural Instability	Loss of postural reflexes – falls.

Learning Objectives (Physiology)

1. Explain the role of the Basal Ganglia in the planning, initiation, and modulation of voluntary movements.
2. Describe the direct and indirect pathways of the basal ganglia at a basic level – how dopamine facilitates movement via D1 receptors (direct) and inhibits movement via D2 receptors (indirect).
3. Explain how the loss of dopaminergic neurons in the Substantia Nigra pars compacta leads to the clinical features of hypokinesia (bradykinesia, rigidity, resting tremor).
4. Describe the physiological basis of resting tremor – basal ganglia-thalamo-cortical loop

dysfunction.

5. Explain the physiological basis of rigidity – increased muscle tone due to reduced inhibition of the motor cortex.
6. Explain the physiological basis of postural instability – loss of postural reflexes due to basal ganglia dysfunction.

PBL1a – Inquiry Phase: Probing Questions for Physiology

Step	Questions for Students
Clarify Terms	*"What is 'bradykinesia'? What is 'cogwheel rigidity'? What is 'resting tremor'?"*
Define Problems	*"Which physiological systems are affected in this patient?"*
Brainstorm	*"Why does the patient have difficulty initiating movements?"*
Analyze	*"What happens physiologically when dopamine is deficient in the brain?"*
Formulate LOs	*"What do we need to learn about basal ganglia physiology and dopamine to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Physiology

Question	Expected Student Response
"Explain the direct and indirect pathways of the basal ganglia. How does dopamine affect these pathways?"	Direct pathway (D1) → facilitates movement. Indirect pathway (D2) → inhibits movement. Dopamine normally activates D1 and inhibits D2 → promotes movement.
"Why does dopamine deficiency cause bradykinesia?"	Reduced D1 activation → reduced facilitation of movement. Reduced inhibition of D2 → increased inhibition of movement. Net effect = hypokinesia.
"What is the physiological mechanism of 'cogwheel rigidity'?"	Combination of increased muscle tone (rigidity) and resting tremor → jerky resistance during passive movement.
"Why does the patient have a resting tremor that disappears during movement?"	Resting tremor is due to basal ganglia-thalamo-cortical loop dysfunction. Voluntary movement activates other pathways that suppress the tremor.
"Why does the patient have postural instability (retropulsion)?"	Loss of postural reflexes due to basal ganglia dysfunction → inability to maintain center of gravity.

Key Teaching Points for Physiology Tutor

- **Basal Ganglia Pathways:** Help students understand the direct and indirect pathways and the role of dopamine.
- **Clinical Correlates:** Link each clinical sign (tremor, rigidity, bradykinesia, postural instability) to its physiological basis.
- **Dopamine Deficiency:** Explain how reduced dopamine leads to the symptoms of Parkinson's disease.

BIOCHEMISTRY TUTOR GUIDE

Case Summary for Biochemistry Tutor

This case involves a patient with Parkinson's disease. The biochemical focus is on dopamine biosynthesis and metabolism, tyrosine hydroxylase, and the biochemical basis of treatment.

Key Biochemical Concepts in This Case

Concept	Relevance to Case
Dopamine Biosynthesis	Tyrosine → L-DOPA (Tyrosine Hydroxylase) → Dopamine (DOPA Decarboxylase).
Dopamine Metabolism	MAO-B and COMT degrade dopamine → HVA (Homovanillic acid).
Substantia Nigra	Dopaminergic neurons – loss leads to dopamine deficiency.
Levodopa (L-DOPA)	Precursor to dopamine – crosses BBB (unlike dopamine).
MAO-B Inhibitors	Selegiline – reduces dopamine breakdown.

Learning Objectives (Biochemistry)

1. Describe the biosynthesis of dopamine – Tyrosine → L-DOPA (via Tyrosine Hydroxylase, rate-limiting) → Dopamine (via DOPA Decarboxylase).
2. Describe the metabolic degradation of dopamine – by Monoamine Oxidase (MAO-B) and Catechol-O-Methyltransferase (COMT) → Homovanillic Acid (HVA) – excreted in urine.
3. Explain the biochemical rationale behind the use of Levodopa (L-DOPA) in treatment – can cross the blood-brain barrier (unlike dopamine), then converted to dopamine in the brain.
4. Explain the role of MAO-B inhibitors (Selegiline) in reducing dopamine degradation.
5. Discuss the role of COMT inhibitors (Entacapone) in prolonging L-DOPA action.
6. Explain the biochemical basis of the side effects of L-DOPA – peripheral conversion to dopamine causes nausea, hypotension.

PBL1a – Inquiry Phase: Probing Questions for Biochemistry

Step	Questions for Students
Clarify Terms	*"What is 'dopamine'? What is 'L-DOPA'? What is 'MAO-B'?"*
Define Problems	*"Which biochemical pathway is disrupted in this patient?"*
Brainstorm	*"Why can't we just give dopamine as a treatment?"*
Analyze	*"What is the rate-limiting enzyme in dopamine synthesis? Why is this clinically relevant?"*
Formulate LOs	*"What do we need to learn about dopamine biochemistry to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Biochemistry

Question	Expected Student Response
"Draw the biosynthetic pathway of dopamine starting from the amino acid tyrosine. Label the enzymes involved."	Tyrosine → L-DOPA (Tyrosine Hydroxylase – rate-limiting) → Dopamine (DOPA Decarboxylase).
"Why can we give L-DOPA to treat Parkinson's disease but not dopamine itself?"	L-DOPA crosses the blood-brain barrier (BBB) via neutral amino acid transporters. Dopamine cannot cross the BBB.
"What enzymes degrade dopamine? What is the final degradation product?"	MAO-B and COMT → Homovanillic Acid (HVA) – excreted in urine.
"Explain the biochemical rationale for using MAO-B inhibitors (e.g., Selegiline) in Parkinson's disease."	MAO-B inhibitors reduce dopamine degradation → increases dopamine availability in the brain.
"Why are patients given L-DOPA along	Peripheral DOPA decarboxylase converts L-DOPA to

with a peripheral DOPA decarboxylase inhibitor (e.g., Carbidopa)?"	dopamine in the periphery → side effects (nausea, hypotension). Carbidopa inhibits this peripheral conversion → more L-DOPA reaches the brain.

Key Teaching Points for Biochemistry Tutor

- **Dopamine Biosynthesis:** Emphasize the rate-limiting enzyme (Tyrosine Hydroxylase).
- **BBB:** L-DOPA crosses the BBB; dopamine cannot.
- **Metabolism:** MAO-B and COMT degrade dopamine – explain the role of inhibitors.

CASE 06: THE ANXIOUS BANKER WITH A SWOLLEN NECK – GRAVES DISEASE

(2nd Year – Module VI: Endocrine System)

ANATOMY TUTOR GUIDE

Case Summary for Anatomy Tutor
This case involves a 34-year-old woman with hyperthyroidism, goiter, exophthalmos, and tachycardia. The anatomical focus is on the thyroid gland, its location, relations, blood supply, and histology.

Key Anatomical Concepts in This Case

Concept	Relevance to Case
Thyroid Anatomy	Anterior neck, C5-T1, lobes, isthmus. Diffuse enlargement (goiter).
Thyroid Relations	Trachea, esophagus, carotid sheath, recurrent laryngeal nerve – compression possible.
Thyroid Blood Supply	Superior thyroid artery (from external carotid) and Inferior thyroid artery (from thyrocervical trunk).
Thyroid Histology	Follicles lined by follicular cells (T3/T4 secretion) and parafollicular cells (C-cells – calcitonin).
Exophthalmos	Orbital fat and extraocular muscle hypertrophy – anatomical basis of bulging eyes.

Learning Objectives (Anatomy)

1. Describe the gross anatomy of the thyroid gland – location (anterior neck, C5-T1), lobes (right and left), isthmus, and pyramidal lobe.
2. Describe the anatomical relations of the thyroid gland – trachea (posterior), esophagus (posterolateral), carotid sheath (lateral), recurrent laryngeal nerve (posteromedial).
3. Describe the blood supply of the thyroid gland – Superior Thyroid Artery (from External Carotid) and Inferior Thyroid Artery (from Thyrocervical Trunk).
4. Describe the venous drainage of the thyroid gland – Superior, Middle, and Inferior Thyroid Veins.
5. Describe the histology of the thyroid gland – thyroid follicles (follicular cells), colloid, and parafollicular cells (C-cells).
6. Explain the anatomical basis of exophthalmos – hypertrophy of orbital fat and extraocular muscles causing forward protrusion of the eyeballs.

PBL1a – Inquiry Phase: Probing Questions for Anatomy

Step	Questions for Students
Clarify Terms	*"What is a 'goiter'? What is 'exophthalmos'? What is 'proptosis'?"*
Define Problems	*"Which anatomical structures are involved in this patient's symptoms?"*
Brainstorm	*"Why does the patient have a swelling in the front of her neck that moves with swallowing?"*
Analyze	*"What anatomical structures could be compressed by an enlarged thyroid gland?"*
Formulate LOs	*"What do we need to learn about the anatomy of the thyroid gland to*

	understand this case?"

PBL1b – Synthesis Phase: Application Questions for Anatomy

Question	Expected Student Response
"Draw the thyroid gland and label its lobes, isthmus, and anatomical relations."	Right/Left lobes, Isthmus (anterior to trachea), Pyramidal lobe. Relations: Trachea (posterior), Carotid sheath (lateral), Recurrent laryngeal nerve (posteromedial).
"Why does the thyroid swelling move with swallowing?"	The thyroid gland is enclosed in the pretracheal fascia and is attached to the thyroid cartilage and trachea → moves with swallowing.
"What is the blood supply to the thyroid gland? Which arteries are involved?"	Superior Thyroid Artery (External Carotid) and Inferior Thyroid Artery (Thyrocervical trunk).
"Describe the histology of the thyroid follicle. Which cells produce thyroid hormones?"	Follicles lined by follicular cells (produce T3/T4), colloid in the center. Parafollicular cells (C-cells) produce calcitonin.
"Why does this patient have bulging eyes (exophthalmos)? What anatomical changes occur?"	Hypertrophy of orbital fat and extraocular muscles → increased orbital volume → forward protrusion of the eyeballs.

Key Teaching Points for Anatomy Tutor

- **Thyroid Location:** Anterior neck, C5-T1 – important for understanding goiter.
- **Relationships:** Trachea, esophagus, and recurrent laryngeal nerve – important for understanding compression symptoms.
- **Blood Supply:** Superior and inferior thyroid arteries – clinically relevant for surgery.
- **Exophthalmos:** Orbital fat and muscle hypertrophy cause bulging eyes.

PHYSIOLOGY TUTOR GUIDE

Case Summary for Physiology Tutor

This case involves a patient with hyperthyroidism, goiter, exophthalmos, and tachycardia. The physiological focus is on thyroid hormone synthesis, regulation, and metabolic effects.

Key Physiological Concepts in This Case

Concept	Relevance to Case
Thyroid Hormone Synthesis	Iodine trapping, oxidation, organification, coupling, storage.
HPT Axis	Hypothalamus (TRH) → Pituitary (TSH) → Thyroid (T3/T4) – negative feedback.
Metabolic Effects	Increased BMR, calorigenic effect, sympathetic sensitivity, catabolism.
Tachycardia	Increased β-adrenergic receptors – increased heart rate.
Heat Intolerance	Increased heat production – excessive sweating.
Weight Loss	Increased catabolism – despite increased appetite.
Exophthalmos	Autoimmune orbital inflammation – not directly thyroid hormone effect.

Learning Objectives (Physiology)

1. Describe the complete synthesis of thyroid hormones (T3 and T4) – Iodine trapping (NIS), oxidation to iodine (TPO), organification (binding to thyroglobulin), coupling (MIT + DIT → T3/T4), and storage in the colloid.

2. Explain the regulation of thyroid hormone secretion via the Hypothalamic-Pituitary-Thyroid (HPT) axis – TRH (hypothalamus) → TSH (pituitary) → T3/T4 (thyroid) – negative feedback.
3. Enumerate the metabolic effects of thyroid hormones – increase BMR, calorigenic effect, increased sympathetic sensitivity, protein/fat/carbohydrate metabolism, and effects on growth and development.
4. Explain the physiological basis of signs/symptoms: Tachycardia (increased β-adrenergic receptors), Heat intolerance (increased heat production), Weight loss (increased catabolism), and Tremor (increased sympathetic activity).
5. Explain the physiological basis of exophthalmos – autoimmune inflammation of orbital tissues (not directly a thyroid hormone effect).
6. Explain the peripheral conversion of T4 to T3 by deiodinases – T3 is the more active form.

PBL1a – Inquiry Phase: Probing Questions for Physiology

Step	Questions for Students
Clarify Terms	*"What is 'T3'? What is 'T4'? What is 'TSH'? What is 'BMR'?"*
Define Problems	*"Which physiological systems are affected in this patient?"*
Brainstorm	*"Why does the patient have tachycardia, heat intolerance, and weight loss?"*
Analyze	*"If the thyroid gland is overactive, what happens to TSH levels in the blood?"*
Formulate LOs	*"What do we need to learn about thyroid physiology to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Physiology

Question	Expected Student Response
"Trace the HPT axis from the hypothalamus to the thyroid. Where does negative feedback occur?"	Hypothalamus (TRH) → Anterior Pituitary (TSH) → Thyroid (T3/T4). T3/T4 inhibit TRH and TSH secretion (negative feedback).
"Explain the steps of thyroid hormone synthesis. What is the role of iodine?"	1. Iodide trapping (NIS). 2. Oxidation to iodine (TPO). 3. Organification (binding to thyroglobulin). 4. Coupling (MIT + DIT → T3/T4). 5. Storage in colloid. 6. Release.
"Why does this patient have tachycardia despite being at rest?"	Thyroid hormones increase β-adrenergic receptor sensitivity → increased sympathetic activity → tachycardia.
"Why does the patient have heat intolerance and excessive sweating?"	Increased BMR → increased heat production → body tries to lose heat via sweating and vasodilation.
"Explain the physiological basis of weight loss despite increased appetite."	Thyroid hormones increase catabolism (protein, fat, carbohydrate breakdown) → energy expenditure exceeds intake → weight loss.
"What is the difference between T3 and T4? Which is more active?"	T3 is more active (approximately 3-5x). T4 is a prohormone – converted to T3 in peripheral tissues by deiodinases.

Key Teaching Points for Physiology Tutor

- **HPT Axis:** Emphasize negative feedback – high T3/T4 → low TSH.
- **Metabolic Effects:** Link each symptom to its physiological basis (tachycardia, heat intolerance, weight loss, tremor).
- **Exophthalmos:** Clarify that this is an autoimmune phenomenon (Graves' disease), not a

direct effect of thyroid hormones.

BIOCHEMISTRY TUTOR GUIDE

Case Summary for Biochemistry Tutor
This case involves a patient with hyperthyroidism, goiter, and exophthalmos. The biochemical focus is on iodine metabolism, thyroid hormone transport, and the biochemical basis of hyperthyroidism.

Key Biochemical Concepts in This Case

Concept	Relevance to Case
Iodine Metabolism	Dietary iodine → absorbed → transported to thyroid → incorporated into thyroglobulin.
Thyroid Hormone Transport	T3/T4 bound to TBG (Thyroid-Binding Globulin), Albumin, Transthyretin – only free fraction is active.
Deiodination	T4 (prohormone) → T3 (active) via 5'-deiodinase.
Tyrosine	Iodine attaches to tyrosine residues on thyroglobulin.
Graves' Disease	Autoimmune – TSH receptor antibodies stimulate thyroid → hyperthyroidism.

Learning Objectives (Biochemistry)

1. Describe the biochemistry of iodine metabolism – dietary iodine, absorption, uptake by the thyroid via the Sodium-Iodide Symporter (NIS), and incorporation into tyrosine residues.
2. Explain the role of Thyroid-Binding Globulin (TBG) in the transport of T3 and T4 in the blood – only the free fraction is biologically active.
3. Differentiate between T3 (more active, shorter half-life) and T4 (prohormone, longer half-life) and explain the peripheral conversion of T4 to T3 by deiodinases.
4. Describe the biochemical basis of Graves' disease – autoantibodies (TSI – Thyroid-Stimulating Immunoglobulins) bind to the TSH receptor → constitutive activation → hyperthyroidism.
5. Discuss the biochemical consequences of hyperthyroidism – increased protein catabolism, increased lipolysis, increased glucose turnover.
6. Explain the role of iodine in thyroid hormone synthesis and the importance of adequate iodine intake.

PBL1a – Inquiry Phase: Probing Questions for Biochemistry

Step	Questions for Students
Clarify Terms	*"What is 'iodine'? What is 'T3'? What is 'T4'? What is 'TBG'?"*
Define Problems	*"Which biochemical pathways are disrupted in this patient?"*
Brainstorm	*"Why is iodine essential for thyroid hormone production?"*
Analyze	*"How does Graves' disease cause hyperthyroidism at the biochemical level?"*
Formulate LOs	*"What do we need to learn about thyroid biochemistry to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Biochemistry

Question	Expected Student Response
"Describe the biochemical process of thyroid hormone synthesis. What is the role of iodine and the enzyme TPO?"	Iodide is trapped by NIS → oxidized to iodine (TPO) → binds to tyrosine on thyroglobulin → MIT and DIT → T3 (MIT+DIT) and T4 (DIT+DIT).

"How are T3 and T4 transported in the blood? What is the clinically measured fraction?"	Bound to TBG, albumin, and transthyretin. Only the free fraction (FT3, FT4) is biologically active and measured clinically.
"What is the biochemical difference between T3 and T4? Which is more active?"	T3 has 3 iodine atoms, T4 has 4. T3 is approximately 3-5x more active. T4 is converted to T3 in peripheral tissues.
"Explain the biochemical basis of Graves' disease. What autoantibody is involved?"	Thyroid-Stimulating Immunoglobulins (TSI) bind to the TSH receptor → mimic TSH → stimulate thyroid → hyperthyroidism.
"What are the biochemical consequences of hyperthyroidism?"	Increased protein breakdown (muscle wasting), increased lipolysis (fat breakdown), increased glycogenolysis, and increased glucose production.

Key Teaching Points for Biochemistry Tutor

- **Iodine:** Essential for thyroid hormone synthesis – explain its role.
- **T3 vs. T4:** T3 is more active; T4 is a prohormone.
- **Graves' Disease:** Autoantibodies (TSI) stimulate the thyroid – explain the biochemical basis.
- **Transport:** Only free hormones are active – bound fraction is a reservoir.

3rd Year – Module VII

CASE 07: THE RETIRED CLERK WITH A WEAK STREAM – (BPH)

ANATOMY TUTOR GUIDE

Case Summary for Anatomy Tutor

This case involves a 65-year-old male with progressive urinary obstruction symptoms (hesitancy, weak stream, nocturia, incomplete emptying) due to benign prostatic hyperplasia (BPH). The anatomical focus is on the prostate gland, its zonal anatomy, relations, blood supply, and histological changes in BPH.

Key Anatomical Concepts in This Case

Concept	Relevance to Case
Prostate Anatomy	Location – base below bladder, apex above urogenital diaphragm. Surrounds the prostatic urethra.
Zonal Anatomy	Transitional zone (periurethral) – site of BPH. Peripheral zone – site of most prostate cancers.
Prostate Relations	Anterior – pubic symphysis. Posterior – rectum (DRE). Superior – bladder neck. Inferior – urogenital diaphragm.
Blood Supply	Inferior vesical artery (branch of internal iliac) – main supply. Middle rectal and internal pudendal arteries.
Histology (BPH)	Nodular hyperplasia – increase in both epithelial (glandular) and stromal (muscle/connective tissue) cells, predominantly in the transitional zone.
Venous Drainage	Prostatic venous plexus → internal iliac veins.

Learning Objectives (Anatomy)

1. Describe the gross anatomy of the prostate gland – location, shape, size, lobes, and relations to surrounding structures (bladder, urethra, rectum, urogenital diaphragm).
2. Describe the zonal anatomy of the prostate – Transitional zone (periurethral), Central zone, and Peripheral zone – and explain which zone is affected in BPH.
3. Describe the blood supply of the prostate – Inferior vesical artery (main), middle rectal artery, and internal pudendal artery.
4. Describe the venous drainage of the prostate – Prostatic venous plexus → internal iliac veins.
5. Describe the histological changes in BPH – increase in epithelial and stromal cells, nodular hyperplasia, predominantly in the transitional zone.
6. Explain the anatomical basis of urinary obstruction in BPH – enlargement of the transitional zone compresses the prostatic urethra, causing bladder outlet obstruction.

PBL1a – Inquiry Phase: Probing Questions for Anatomy

Step	Questions for Students
Clarify Terms	*"What is the 'prostate'? What does 'transitional zone' mean? What is 'nodular hyperplasia'?"*
Define Problems	*"Which anatomical structures are involved in this patient's urinary symptoms?"*
Brainstorm	*"Why does an enlarged prostate cause difficulty starting urination and a weak stream?"*
Analyze	*"The prostate is felt on Digital Rectal Examination (DRE). Why can the prostate be palpated per rectum?"*

Formulate LOs	*"What do we need to learn about the anatomy of the prostate to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Anatomy

Question	Expected Student Response
"Draw the prostate gland in sagittal section. Label the bladder, urethra, prostate zones, and rectum. Show the relationship between the prostate and the urethra."	Prostate surrounds the prostatic urethra. Bladder is superior, rectum is posterior (accessible via DRE). Transitional zone is periurethral.
"Why does BPH cause urinary obstruction? Which anatomical zone is involved?"	BPH occurs in the transitional zone (periurethral). Enlargement compresses the prostatic urethra → bladder outlet obstruction.
"Why is the prostate palpable on Digital Rectal Examination (DRE)?"	The prostate lies anterior to the rectum, separated only by the rectovesical fascia. The posterior surface can be felt per rectum.
"Describe the blood supply of the prostate. Which artery is the main supplier?"	Inferior vesical artery (branch of internal iliac) is the main artery. Middle rectal and internal pudendal arteries also contribute.
"What histological changes occur in BPH? How do these changes differ from prostate cancer?"	BPH – nodular hyperplasia of epithelial and stromal cells in the transitional zone. Cancer – malignant glandular proliferation, usually in the peripheral zone.

Key Teaching Points for Anatomy Tutor

- **Zonal Anatomy:** Emphasize that BPH occurs in the transitional zone (periurethral), while prostate cancer typically arises in the peripheral zone.
- **DRE:** Explain why the prostate can be felt per rectum – its posterior surface is accessible.
- **Bladder Outlet Obstruction:** Enlargement of the transitional zone compresses the urethra, causing the classic symptoms of hesitancy, weak stream, and incomplete emptying.

PHYSIOLOGY TUTOR GUIDE

Case Summary for Physiology Tutor

This case involves a patient with BPH causing lower urinary tract symptoms. The physiological focus is on micturition (voiding) physiology, bladder function, smooth muscle contraction in the prostate and bladder neck, and the role of alpha-adrenergic receptors in urinary obstruction.

Key Physiological Concepts in This Case

Concept	Relevance to Case
Micturition Reflex	Stretch receptors in bladder wall → parasympathetic stimulation → detrusor contraction + internal sphincter relaxation.
Bladder Filling & Emptying	Sympathetic (α-receptors) → internal sphincter contraction (retention). Parasympathetic → detrusor contraction (voiding).
Alpha-1 Receptors	Located in the prostate and bladder neck. Stimulation causes smooth muscle contraction → worsens obstruction.
Bladder Outlet Obstruction	Enlarged prostate compresses urethra → increased resistance → bladder wall hypertrophy → detrusor instability.
Nocturia	Reduced bladder capacity + increased nocturnal urine production due

	to impaired concentrating ability.
Urinary Retention	Progressive obstruction → incomplete emptying → residual urine → risk of infection and renal impairment.

Learning Objectives (Physiology)

1. Explain the physiology of micturition – the role of the bladder (detrusor muscle), internal and external urethral sphincters, and the neural control (sympathetic, parasympathetic, and somatic).
2. Describe the role of alpha-1 adrenergic receptors in the prostate and bladder neck – stimulation causes smooth muscle contraction, contributing to urethral resistance.
3. Explain the pathophysiology of bladder outlet obstruction in BPH – increased urethral resistance → detrusor hypertrophy → decreased bladder compliance → incomplete emptying.
4. Explain the physiological basis of lower urinary tract symptoms in BPH – hesitancy, weak stream, straining, nocturia, and incomplete emptying.
5. Describe the physiological mechanism of action of alpha-blockers (e.g., Tamsulosin) – relaxation of smooth muscle in the prostate and bladder neck → improved urine flow.
6. Explain the physiological consequences of chronic urinary retention – increased residual volume → recurrent UTIs, bladder stones, and back-pressure on kidneys (hydronephrosis).

PBL1a – Inquiry Phase: Probing Questions for Physiology

Step	Questions for Students
Clarify Terms	*"What is 'micturition'? What is 'bladder outlet obstruction'? What are 'alpha-1 receptors'?"*
Define Problems	*"Which physiological systems are affected in this patient?"*
Brainstorm	*"Why does an enlarged prostate cause difficulty starting urination and a weak stream?"*
Analyze	*"What happens physiologically to the bladder wall when it has to contract against increased resistance over a long period?"*
Formulate LOs	*"What do we need to learn about micturition physiology and smooth muscle control to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Physiology

Question	Expected Student Response
"Trace the micturition reflex from bladder filling to voiding. Which nerves are involved?"	Stretch receptors → pelvic parasympathetic nerves (S2-S4) → detrusor contraction + internal sphincter relaxation. Somatic pudendal nerve → external sphincter relaxation.
"What is the role of alpha-1 adrenergic receptors in the prostate? Why do alpha-blockers improve symptoms?"	Alpha-1 receptors cause smooth muscle contraction in the prostate and bladder neck. Alpha-blockers relax this smooth muscle → reduced urethral resistance → improved flow.
"Explain the physiological mechanism of hesitancy and weak stream in BPH."	Enlarged prostate compresses the urethra → increased resistance → detrusor must generate higher pressure → weak flow and difficulty initiating voiding.
"Why does the patient have nocturia (frequent nighttime urination)?"	Bladder outlet obstruction → incomplete emptying → reduced functional bladder capacity → frequent urination. Also, impaired renal concentrating ability in

	elderly → increased nocturnal urine production.
"What are the physiological consequences of chronic urinary retention?"	Increased residual volume → bladder wall hypertrophy → detrusor instability → UTIs, bladder stones, hydronephrosis, and renal impairment.

Key Teaching Points for Physiology Tutor

- **Micturition Reflex:** Explain the coordinated action of detrusor contraction and sphincter relaxation.
- **Alpha-1 Receptors:** Emphasize their role in the prostate and bladder neck, and the mechanism of alpha-blockers.
- **Bladder Outlet Obstruction:** Explain how increased resistance leads to bladder wall hypertrophy and eventual decompensation.

BIOCHEMISTRY TUTOR GUIDE

Case Summary for Biochemistry Tutor

This case involves a patient with BPH. The biochemical focus is on **hormonal regulation of prostate growth** (testosterone, DHT, 5-alpha reductase), the **biochemical composition of prostatic secretions**, and the **clinical utility of PSA** (Prostate Specific Antigen).

Key Biochemical Concepts in This Case

Concept	Relevance to Case
Testosterone & DHT	Testosterone is converted to DHT by 5-alpha reductase. DHT is the primary androgen driving prostate growth.
5-Alpha Reductase	Enzyme (Type II) in the prostate – converts testosterone to the more potent DHT.
DHT (Dihydrotestosterone)	More potent androgen – binds to androgen receptors → stimulates prostate cell proliferation.
PSA (Prostate Specific Antigen)	A serine protease produced by prostate epithelial cells – elevated in BPH and prostate cancer.
Hormonal Regulation	Androgens (testosterone, DHT) regulate prostate growth and function via the hypothalamic-pituitary-gonadal axis.
Prostatic Secretions	Contain PSA, acid phosphatase, zinc, and citric acid – contribute to seminal fluid.

Learning Objectives (Biochemistry)

1. Describe the **biochemical pathway of testosterone metabolism** in the prostate – conversion of testosterone to DHT by 5-alpha reductase (Type II).
2. Explain the role of DHT (Dihydrotestosterone) in prostate growth – binds to androgen receptors → stimulates proliferation of epithelial and stromal cells.
3. Describe the biochemical basis of BPH – androgen-mediated hyperplasia of the transitional zone due to increased local DHT production.
4. Explain the clinical utility of PSA (Prostate Specific Antigen) – produced by prostate epithelial cells, elevated in BPH, prostatitis, and prostate cancer.
5. Explain the mechanism of action of 5-alpha reductase inhibitors (e.g., Finasteride, Dutasteride) – inhibit conversion of testosterone to DHT → reduce prostate size.
6. Describe the biochemical **composition of prostatic secretions** – PSA, acid phosphatase, zinc, citric acid, and their physiological roles.

PBL1a – Inquiry Phase: Probing Questions for Biochemistry

Step	Questions for Students
Clarify Terms	*"What is 'testosterone'? What is 'DHT'? What is '5-alpha reductase'? What is 'PSA'?"*
Define Problems	*"Which biochemical pathways are involved in prostate growth?"*
Brainstorm	*"Why does the prostate enlarge in older men? What hormones are involved?"*
Analyze	*"If a patient is given Finasteride (5-alpha reductase inhibitor), what biochemical changes would occur in the prostate?"*
Formulate LOs	*"What do we need to learn about the biochemistry of androgens and prostate growth to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Biochemistry

Question	Expected Student Response
"Draw the biochemical pathway of testosterone metabolism in the prostate. What enzyme converts testosterone to DHT?"	Testosterone → DHT via **5-alpha reductase** (Type II). DHT binds to androgen receptors → prostate growth.
"Why is DHT more potent than testosterone in stimulating prostate growth?"	DHT has a higher affinity for the androgen receptor and forms a more stable receptor complex → stronger stimulation of gene transcription.
"What is PSA? Why is it elevated in BPH and prostate cancer?"	PSA is a serine protease produced by prostate epithelial cells. Increased prostate cell mass (BPH) or disruption of tissue architecture (cancer) causes elevated serum PSA.
"Explain the mechanism of action of 5-alpha reductase inhibitors (e.g., Finasteride) in treating BPH."	Inhibits 5-alpha reductase → reduces conversion of testosterone to DHT → decreased androgenic stimulation → reduced prostate epithelial proliferation → prostate shrinkage.
"What is the biochemical composition of prostatic secretions? What is their physiological role?"	PSA (liquefies semen), acid phosphatase, zinc (antibacterial), citric acid (nutrient for sperm). Role: enhance sperm motility and fertility.

Key Teaching Points for Biochemistry Tutor

- **Testosterone → DHT:** Emphasize the conversion by 5-alpha reductase and the importance of DHT in prostate growth.
- **PSA:** Explain its clinical utility as a marker but emphasize that it is not specific to cancer – can be elevated in BPH and prostatitis.
- **5-Alpha Reductase Inhibitors:** Explain how they reduce prostate size biochemically.

CASE 08: THE LORRY DRIVER WITH A RACING HEART

ANATOMY TUTOR GUIDE

Case Summary for Anatomy Tutor

This case involves a 57-year-old male with severe palpitations, chest heaviness, elevated blood pressure, and arrhythmias. The anatomical focus is on the **heart's anatomy**, **coronary circulation**, **cardiac conduction system**, and the **anatomy relevant to beta-blocker action** (β-receptors).

Key Anatomical Concepts in This Case

Concept	Relevance to Case
Heart Anatomy	Chambers, valves, and their relation to clinical signs (no murmurs = no valvular disease).
Coronary Arteries	Right and Left Coronary Arteries – supply the myocardium. Atherosclerosis → ischemic heart disease.
Conducting System	SA node, AV node, Bundle of His, Purkinje fibers – site of arrhythmias.
Sympathetic Innervation	Cardiac sympathetic nerves (T1-T4) – release norepinephrine → ↑ heart rate and contractility (β-1 receptors).
Beta-1 Receptors	Located in the heart – stimulation increases heart rate and contractility. Beta-blockers antagonize these.
Aorta & Great Vessels	Hypertension → increased afterload → pressure on the heart.

Learning Objectives (Anatomy)

1. Describe the **gross anatomy of the heart** – chambers, valves, and major vessels (superior vena cava, inferior vena cava, pulmonary artery, aorta).
2. Describe the **coronary circulation** – Right and Left Coronary Arteries, their main branches, and the territories they supply.
3. Describe the **anatomy of the cardiac conduction system** – SA node, AV node, Bundle of His, Right and Left Bundle Branches, and Purkinje fibers.
4. Describe the **sympathetic innervation of the heart** – preganglionic and postganglionic fibers (T1-T4), and the location of β-1 adrenergic receptors on cardiac myocytes.
5. Describe the **anatomical relationship between the heart and the great vessels** – how hypertension affects the cardiovascular system.
6. Explain the **anatomical basis of cardiac arrhythmias** – where in the conduction system they can originate.

PBL1a – Inquiry Phase: Probing Questions for Anatomy

Step	Questions for Students
Clarify Terms	*"What is 'tachycardia'? What is an 'arrhythmia'? What are 'beta-receptors'?"*
Define Problems	*"Which anatomical structures are involved in this patient's symptoms?"*
Brainstorm	*"The ECG shows sinus tachycardia and premature beats. Where in the conduction system are these arising?"*
Analyze	*"Why are there no heart murmurs on auscultation? What does this tell us about the valves?"*
Formulate LOs	*"What do we need to learn about the anatomy of the heart and its conduction system to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Anatomy

Question	Expected Student Response
"Draw the heart and label the chambers, valves, and the major vessels entering and leaving the heart."	Right atrium/ventricle, Left atrium/ventricle, Tricuspid/Mitral/Pulmonary/Aortic valves, SVC/IVC, Pulmonary artery, Aorta.
"Trace the path of blood through the coronary arteries. Which artery supplies the SA node in most individuals?"	Left main coronary → LAD and LCx. Right coronary artery → supplies SA node (60%) and AV node (90%).
"Where is the SA node located? What is its anatomical function?"	SA node is located in the upper part of the right atrium near the opening of the SVC. It is the primary pacemaker of the heart.
"What is the anatomical pathway of sympathetic innervation to the heart?"	T1-T4 preganglionic fibers → synapse in sympathetic chain → postganglionic fibers → cardiac plexus → heart (β-1 receptors on myocytes).
"Why does this patient have a heart rate of 110 bpm? Which anatomical receptors are involved?"	Sympathetic stimulation of β-1 receptors on the SA node and ventricular myocytes increases heart rate and contractility.

Key Teaching Points for Anatomy Tutor

- **Coronary Circulation:** Emphasize the importance of the RCA in supplying the SA and AV nodes – relevant to understanding arrhythmias.
- **Conducting System:** Ensure students can trace the pathway of the electrical impulse from the SA node to the ventricles.
- **Beta-1 Receptors:** Explain their location in the heart and their role in sympathetic regulation of heart rate.

PHYSIOLOGY TUTOR GUIDE

Case Summary for Physiology Tutor

This case involves a patient with tachycardia, elevated blood pressure, and arrhythmias. The physiological focus is on **cardiovascular physiology**, **blood pressure regulation**, **cardiac action potentials**, and the **physiology of beta-blockers**.

Key Physiological Concepts in This Case

Concept	Relevance to Case
Blood Pressure Regulation	Cardiac output × Peripheral resistance. Hypertension indicates dysregulation.
Cardiac Action Potential	SA node (pacemaker) and ventricular myocytes – ionic basis of arrhythmias.
Sympathetic Nervous System	Increased sympathetic tone → tachycardia, hypertension, arrhythmias.
Beta-1 Receptors	Located in the heart – stimulation increases HR and contractility. Beta-blockers antagonize this.
Arrhythmias	Abnormal impulse generation or conduction – can be atrial or ventricular.

Cardiac Output	CO = HR × SV – tachycardia increases CO, contributing to hypertension.

Learning Objectives (Physiology)

1. Explain the **physiology of blood pressure regulation** – Cardiac Output (CO) and Total Peripheral Resistance (TPR). The equation: **BP = CO × TPR**.
2. Explain the **ionic basis of the cardiac action potential** in the SA node (pacemaker) and ventricular myocytes – phases 0-4, and the role of Na^+, Ca^{2+}, and K^+ ions.
3. Describe the **role of the sympathetic nervous system** in cardiovascular regulation – activation of β-1 receptors increases heart rate (chronotropy), contractility (inotropy), and conduction velocity (dromotropy).
4. Explain the **physiological mechanism of arrhythmias** – abnormal automaticity, triggered activity, and re-entry circuits.
5. Explain the **mechanism of action of beta-blockers** – competitive antagonism of β-1 (cardiac) and β-2 receptors → decreased HR, CO, and BP.
6. Describe the **physiological consequences of untreated hypertension** – left ventricular hypertrophy, heart failure, and increased risk of arrhythmias.

PBL1a – Inquiry Phase: Probing Questions for Physiology

Step	Questions for Students
Clarify Terms	*"What is 'hypertension'? What is 'tachycardia'? What is an 'arrhythmia'?"*
Define Problems	*"Which physiological systems are affected in this patient?"*
Brainstorm	*"Why does the patient have a blood pressure of 180/105 mmHg? What factors determine blood pressure?"*
Analyze	*"The patient has palpitations and arrhythmias. What is the physiological basis of these symptoms?"*
Formulate LOs	*"What do we need to learn about cardiovascular physiology and sympathetic regulation to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Physiology

Question	Expected Student Response
"Explain the equation BP = CO × TPR. How does tachycardia contribute to hypertension?"	BP = Cardiac Output × Total Peripheral Resistance. Tachycardia increases CO → increases BP.
"Describe the cardiac action potential in a ventricular myocyte. What ions are involved in each phase?"	Phase 0 (Na^+ influx), Phase 1 (K^+ efflux), Phase 2 (Ca^{2+} influx), Phase 3 (K^+ efflux), Phase 4 (resting potential).
"What is the mechanism of action of beta-blockers? Why do they reduce heart rate and blood pressure?"	Beta-blockers competitively antagonize β-1 receptors in the heart → decreased cAMP → reduced HR, contractility, and conduction velocity → decreased CO → decreased BP.
"Why does the patient have a heart rate of 110 bpm? What is the physiological basis of tachycardia?"	Increased sympathetic tone → β-1 receptor activation → increased SA node firing → tachycardia.
"What are the physiological consequences of chronic hypertension?"	Left ventricular hypertrophy (increased afterload), heart failure, stroke, and increased risk of arrhythmias.

Key Teaching Points for Physiology Tutor

- **Blood Pressure Regulation:** Emphasize the equation BP = CO × TPR.
- **Beta-Blockers:** Explain their mechanism – antagonism of β-1 receptors.
- **Arrhythmias:** Explain the physiological basis – abnormal impulse generation or conduction.

BIOCHEMISTRY TUTOR GUIDE

Case Summary for Biochemistry Tutor

This case involves a patient with hypertension and tachycardia. The biochemical focus is on **catecholamines**, **sympathetic signaling**, **lipoprotein metabolism** (cardiovascular risk factors), and the **biochemical basis of beta-blocker action**.

Key Biochemical Concepts in This Case

Concept	Relevance to Case
Catecholamines	Norepinephrine and epinephrine – synthesized from tyrosine. Increase HR and BP.
Beta-1 Receptors	G-protein coupled receptors – activate adenylyl cyclase → cAMP → PKA → increased HR and contractility.
cAMP Signaling	Beta-receptor activation → ↑ cAMP → ↑ PKA → phosphorylation of L-type Ca^{2+} channels → ↑ Ca^{2+} influx → ↑ contractility.
Lipoproteins	High LDL and low HDL – risk factors for atherosclerosis and hypertension. Smoking promotes atherogenesis.
Cigarette Smoking	Nicotine → catecholamine release → ↑ HR and BP. Also promotes oxidative stress and endothelial dysfunction.
Beta-Blockers	Competitive antagonists at β-receptors – block cAMP signaling → decreased HR and BP.

Learning Objectives (Biochemistry)

1. Describe the **biosynthesis of catecholamines** (dopamine, norepinephrine, epinephrine) from tyrosine – tyrosine hydroxylase (rate-limiting), DOPA decarboxylase, dopamine β-hydroxylase.
2. Explain the **signal transduction pathway** of β-1 receptors – Gs protein → adenylyl cyclase → cAMP → PKA → phosphorylation of target proteins → increased HR and contractility.
3. Explain the **biochemical mechanism of beta-blockers** – competitive antagonism at β-1 receptors → reduced cAMP production → decreased HR and contractility.
4. Describe the **role of lipoproteins** in cardiovascular disease – LDL (atherogenic), HDL (protective). Smoking increases oxidation of LDL.
5. Explain the **biochemical effects of cigarette smoking** – nicotine → catecholamine release → hypertension. Oxidative stress → endothelial dysfunction.
6. Discuss the **biochemical basis of hypertension** – increased sympathetic activity, vasoconstriction, and sodium retention.

PBL1a – Inquiry Phase: Probing Questions for Biochemistry

Step	Questions for Students
Clarify Terms	*"What are 'catecholamines'? What is 'cAMP'? What are 'lipoproteins'?"*
Define Problems	*"Which biochemical pathways are involved in hypertension and tachycardia?"*
Brainstorm	*"Why does smoking increase blood pressure and heart rate?"*

Analyze	*"How do beta-blockers work at the molecular level?"*
Formulate LOs	*"What do we need to learn about catecholamine signaling and lipid metabolism to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Biochemistry

Question	Expected Student Response
"Draw the biosynthetic pathway of catecholamines from tyrosine. Which enzyme is rate-limiting?"	Tyrosine → L-DOPA (Tyrosine Hydroxylase – rate-limiting) → Dopamine → Norepinephrine → Epinephrine.
"Explain the β-1 receptor signaling pathway. How does it increase heart rate?"	β-1 receptor (Gs) → adenylyl cyclase → cAMP ↑ → PKA activation → phosphorylation of Ca^{2+} channels and ion channels → increased HR and contractility.
"What is the biochemical mechanism of action of beta-blockers?"	Beta-blockers competitively antagonize β-1 receptors → block Gs activation → reduced cAMP → decreased HR and contractility.
"How does smoking contribute to hypertension and cardiovascular disease?"	Nicotine → catecholamine release → ↑ HR and BP. Smoking also increases LDL oxidation → atherosclerosis → increased peripheral resistance.
"What is the role of LDL and HDL in cardiovascular risk?"	LDL is atherogenic – deposits cholesterol in arteries. HDL is protective – transports cholesterol from arteries to the liver.

Key Teaching Points for Biochemistry Tutor

- **Catecholamine Synthesis:** Emphasize the role of tyrosine hydroxylase as the rate-limiting enzyme.
- **β-1 Receptor Signaling:** Explain the Gs → cAMP → PKA pathway.
- **Beta-Blockers:** Competitive antagonism – explain the molecular mechanism.
- **Smoking:** Discuss the biochemical link to hypertension and cardiovascular disease.

CASE 09: THE IRRITABLE BANKER WITH NUMB FEET

3rd Year – Module IX

ANATOMY TUTOR GUIDE

Case Summary for Anatomy Tutor

This case involves a 60-year-old male with long-standing diabetes mellitus presenting with peripheral neuropathy (glove-and-stocking sensory loss), poor glycemic control, and complications. The anatomical focus is on the **peripheral nerves**, **microvasculature**, **skin anatomy**, and the **anatomical basis of diabetic complications** (neuropathy, retinopathy, nephropathy).

Key Anatomical Concepts in This Case

Concept	Relevance to Case
Peripheral Nerves	Longest nerves (sciatic, tibial, peroneal) are most vulnerable to diabetic neuropathy.
Glove-and-Stocking Distribution	Distal symmetric polyneuropathy – affects longest nerves first (feet, then hands).
Blood Supply to Nerves	Vasa nervorum – small arteries supplying peripheral nerves. Microvascular damage → ischemia → neuropathy.
Kidney Anatomy	Glomerulus – microvascular damage → diabetic nephropathy.
Eye Anatomy	Retina – microvascular damage → diabetic retinopathy.
Skin Anatomy	Poor wound healing – microvascular disease, neuropathy, and immune dysfunction.
Dental Anatomy	Periodontal disease – common in poorly controlled diabetes.

Learning Objectives (Anatomy)

1. Describe the **anatomy of peripheral nerves** – structure of a peripheral nerve (epineurium, perineurium, endoneurium, fascicles), and the **vasa nervorum** (blood supply).
2. Describe the **anatomical basis of glove-and-stocking neuropathy** – why the longest nerves (feet, then hands) are affected first.
3. Describe the **anatomy of the kidney** – nephron, glomerulus, and the microvascular supply – and explain how diabetes causes nephropathy.
4. Describe the **anatomy of the eye** – retina and its blood supply – and explain how diabetes causes retinopathy.
5. Describe the **anatomy of the skin** – layers (epidermis, dermis), blood supply, and innervation – and explain how diabetes impairs wound healing.
6. Describe the **anatomy of the oral cavity** – teeth, gums, and periodontium – and explain why diabetes increases the risk of periodontal disease.

PBL1a – Inquiry Phase: Probing Questions for Anatomy

Step	Questions for Students
Clarify Terms	*"What is 'glove-and-stocking' distribution? What is 'neuropathy'? What is 'vasa nervorum'?"*
Define Problems	*"Which anatomical structures are affected in this patient?"*
Brainstorm	*"Why are the feet affected before the hands in diabetic neuropathy?"*
Analyze	*"The patient has poor oral hygiene. Why are diabetics at higher risk for periodontal disease?"*
Formulate LOs	*"What do we need to learn about the anatomy of peripheral nerves and microvasculature to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Anatomy

Question	Expected Student Response
"Describe the anatomy of a peripheral nerve. What is the vasa nervorum?"	Peripheral nerve – epineurium (outer), perineurium (around fascicles), endoneurium (around individual axons). Vasa nervorum – small vessels supplying blood to the nerve.
"Why does diabetic neuropathy affect the feet before the hands?"	The longest nerves (sciatic, tibial, peroneal) are most vulnerable to damage. The feet have the longest axons → first to be affected.
"What is the anatomical basis of diabetic retinopathy?"	Microvascular damage to the retinal capillaries → leakage, ischemia, and neovascularization.
"Why are diabetics at higher risk for poor wound healing?"	Microvascular damage → reduced blood supply to skin. Neuropathy → loss of sensation → unnoticed injuries. Immune dysfunction → impaired healing.
"What is the anatomical basis of diabetic nephropathy?"	Microvascular damage to the glomerular capillaries → thickening of the glomerular basement membrane → proteinuria and progressive renal failure.

Key Teaching Points for Anatomy Tutor

- **Glove-and-Stocking Neuropathy:** Explain why the longest nerves (feet first, then hands) are affected.
- **Microvasculature:** Emphasize that diabetes damages small blood vessels throughout the body – nerves, kidneys, eyes.
- **Vasa Nervorum:** Damage to the blood supply of peripheral nerves causes neuropathy.

PHYSIOLOGY TUTOR GUIDE

Case Summary for Physiology Tutor

This case involves a patient with long-standing diabetes mellitus presenting with peripheral neuropathy, polyuria, polydipsia, polyphagia, and poor glycemic control. The physiological focus is on **glucose homeostasis**, **insulin physiology**, **pathophysiology of diabetes**, and the **physiological basis of diabetic complications**.

Key Physiological Concepts in This Case

Concept	Relevance to Case
Glucose Homeostasis	Insulin → glucose uptake. Glucagon → glucose release. Imbalance → hyperglycemia.
Insulin	Anabolic hormone – promotes glucose uptake, glycogen synthesis, lipogenesis, and protein synthesis.
Insulin Deficiency/Resistance	Hyperglycemia → polyuria, polydipsia, polyphagia, weight loss.
Diabetic Neuropathy	Hyperglycemia → nerve damage via polyol pathway, oxidative stress, and microvascular ischemia.
Diabetic Nephropathy	Hyperglycemia → glomerular damage → proteinuria, renal failure.
Diabetic Retinopathy	Hyperglycemia → retinal microvascular damage → vision loss.
OSMOTIC DIURESIS	Hyperglycemia → glucose in urine → osmotic water loss → polyuria → polydipsia.

Learning Objectives (Physiology)

1. Explain the **physiology of glucose homeostasis** – the roles of insulin (anabolic) and glucagon (catabolic) in maintaining blood glucose levels.
2. Describe the **physiology of insulin** – secretion from pancreatic β-cells, mechanism of action (receptor tyrosine kinase → GLUT4 translocation), and metabolic effects (liver, muscle, adipose tissue).
3. Explain the **pathophysiology of Type 2 Diabetes Mellitus** – insulin resistance (muscle, liver, adipose) and relative insulin deficiency.
4. Explain the **physiological basis of the classic symptoms of diabetes** – polyuria (osmotic diuresis), polydipsia (thirst), polyphagia (hunger), and weight loss (catabolism).
5. Explain the **pathophysiology of diabetic neuropathy** – mechanisms: polyol pathway, advanced glycation end products (AGEs), oxidative stress, and microvascular ischemia.
6. Describe the **physiological consequences of poor glycemic control** – microvascular complications (neuropathy, nephropathy, retinopathy) and macrovascular complications (atherosclerosis).

PBL1a – Inquiry Phase: Probing Questions for Physiology

Step	Questions for Students
Clarify Terms	*"What is 'hyperglycemia'? What is 'insulin'? What is 'polyuria'?"*
Define Problems	*"Which physiological systems are affected in this patient?"*
Brainstorm	*"Why does the patient have polyuria, polydipsia, and polyphagia?"*
Analyze	*"Why has the patient developed numbness in his feet after 15 years of diabetes?"*
Formulate LOs	*"What do we need to learn about glucose homeostasis and the pathophysiology of diabetes to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Physiology

Question	Expected Student Response
"Explain the physiology of glucose homeostasis. What is the role of insulin?"	Insulin → promotes glucose uptake into cells, glycogen synthesis, lipogenesis, protein synthesis. Glucagon → promotes glycogenolysis and gluconeogenesis.
"Why does the patient have polyuria, polydipsia, and polyphagia?"	Hyperglycemia → glucose in urine → osmotic diuresis → polyuria → dehydration → polydipsia. Inability to utilize glucose → cellular starvation → polyphagia.
"What is the pathophysiology of Type 2 Diabetes?"	Insulin resistance (muscle, liver, adipose) + relative insulin deficiency (β-cell dysfunction).
"Explain the pathophysiology of diabetic neuropathy. What mechanisms are involved?"	Hyperglycemia → polyol pathway (sorbitol accumulation), AGEs, oxidative stress, and microvascular ischemia → nerve damage.
"What are the physiological consequences of chronic hyperglycemia?"	Microvascular complications (neuropathy, nephropathy, retinopathy) and macrovascular complications (atherosclerosis, hypertension, stroke).

Key Teaching Points for Physiology Tutor

- **Glucose Homeostasis:** Explain the balance between insulin and glucagon.
- **Osmotic Diuresis:** Hyperglycemia causes polyuria, polydipsia, and dehydration.
- **Diabetic Neuropathy:** Emphasize the mechanisms – polyol pathway, AGEs, oxidative stress.
- **Microvascular Complications:** Diabetes damages small blood vessels throughout the body.

BIOCHEMISTRY TUTOR GUIDE

Case Summary for Biochemistry Tutor

This case involves a patient with long-standing diabetes mellitus presenting with neuropathy, poor glycemic control, and complications. The biochemical focus is on **glucose metabolism**, **insulin action**, **the polyol pathway**, **advanced glycation end products (AGEs)**, and the **biochemistry of diabetic complications**.

Key Biochemical Concepts in This Case

Concept	Relevance to Case
Glucose Metabolism	Hyperglycemia → increased flux through alternative pathways (polyol, hexosamine) → cellular damage.
Polyol Pathway	Glucose → sorbitol (via aldose reductase) → accumulation → osmotic damage to nerves.
Advanced Glycation End Products (AGEs)	Glucose + proteins → irreversible glycation → tissue damage (nerves, kidneys, eyes, blood vessels).
Oxidative Stress	Hyperglycemia → increased ROS → cellular injury and inflammation.
HbA1c	Glycated hemoglobin – reflects average blood glucose over 2-3 months. Indicator of glycemic control.
Insulin Signaling	Insulin binds receptor → tyrosine kinase → PI3K/Akt pathway → GLUT4 translocation → glucose uptake.

Learning Objectives (Biochemistry)

1. Describe the **biochemistry of glucose metabolism** – normal glucose homeostasis, glycolysis, gluconeogenesis, and glycogen metabolism.
2. Explain the **mechanism of insulin action** – binding to the insulin receptor (tyrosine kinase) → PI3K/Akt pathway → GLUT4 translocation to the cell membrane → glucose uptake.
3. Describe the **polyol pathway** – glucose → sorbitol (via aldose reductase) → fructose (via sorbitol dehydrogenase). Explain how sorbitol accumulation leads to osmotic damage in nerves.
4. Explain the formation of **Advanced Glycation End Products (AGEs)** – glucose + proteins → Schiff base → Amadori products → AGEs. Explain their role in diabetic complications.
5. Describe the **biochemical basis of diabetic neuropathy** – polyol pathway, AGEs, oxidative stress, and microvascular ischemia.
6. Explain the **clinical utility of HbA1c** – glycated hemoglobin as a marker of long-term glycemic control.
7. Describe the **biochemical basis of diabetic nephropathy and retinopathy** – microvascular damage due to hyperglycemia.

PBL1a – Inquiry Phase: Probing Questions for Biochemistry

Step	Questions for Students
Clarify Terms	*"What is 'HbA1c'? What is the 'polyol pathway'? What are 'AGEs'?"*
Define Problems	*"Which biochemical pathways are disrupted in this patient?"*
Brainstorm	*"Why does chronic hyperglycemia cause nerve damage?"*
Analyze	*"What is the biochemical basis of diabetic neuropathy? Which pathways are involved?"*
Formulate	*"What do we need to learn about glucose metabolism and diabetic*

LOs	*complications to understand this case?"*

PBL1b – Synthesis Phase: Application Questions for Biochemistry

Question	Expected Student Response
"Draw the polyol pathway. How does hyperglycemia lead to sorbitol accumulation in nerves?"	Glucose → Sorbitol (via Aldose Reductase) → Fructose (via Sorbitol Dehydrogenase). Sorbitol is poorly membrane-permeable → accumulates → osmotic damage.
"What are Advanced Glycation End Products (AGEs)? How do they contribute to diabetic complications?"	AGEs form when glucose binds to proteins irreversibly. They cause cross-linking of proteins, activate inflammatory pathways, and damage tissues (nerves, kidneys, blood vessels).
"What is HbA1c? Why is it used to monitor glycemic control?"	HbA1c is glycated hemoglobin. It reflects average blood glucose over 2-3 months (RBC lifespan). Higher HbA1c → poor glycemic control.
"Explain the biochemical mechanism of insulin action. How does insulin promote glucose uptake?"	Insulin binds receptor (tyrosine kinase) → PI3K/Akt pathway → GLUT4 translocation to the cell membrane → glucose enters the cell.
"What is the biochemical basis of diabetic neuropathy? Which pathways are involved?"	Polyol pathway (sorbitol accumulation), AGEs, oxidative stress, and microvascular ischemia all contribute to nerve damage.

Key Teaching Points for Biochemistry Tutor

- **Polyol Pathway:** Explain how sorbitol accumulation causes osmotic damage in nerves.
- **AGEs:** Explain their formation and role in diabetic complications.
- **HbA1c:** Emphasize its clinical utility as a marker of long-term glycemic control.
- **Insulin Signaling:** Explain the receptor tyrosine kinase pathway.

Compiled by: Department of Medical Education
Frontier Medical College, Abbottabad
Academic Year: 2025-2026

Compiled by: Department of Medical Education
Approved by: Academic Council
Frontier Medical College, Abbottabad
Academic Year: 2025-2026